# 75940X<sup>Q&As</sup>

Avaya Converged Platform Integration

### Pass Avaya 75940X Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/75940x.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Avaya Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



### Leads4Pass

#### **QUESTION 1**

Which statement about the factory default configuration of the Avaya Session Border Controller for Enterprise (ASBCE) in ACP 4200 is true?

- A. The A1 LAN interface of the SBC is connected to the Application 3 VLAN of the ACP 4200.
- B. The A1 LAN interface of the SBC is connected to the Application 1 VLAN of the ACP 4200.
- C. The B1 LAN interface of the SBC is connected to the Application 2 VLAN of the ACP 4200.
- D. The M1 LAN interface of the SBC is connected to the Application 3 VLAN of the ACP 4200.

Correct Answer: A

#### **QUESTION 2**

A new ESXi host has been added to the ACP 4200. However, unlike existing ESXi hosts within the ACP 4200, the new host cannot be monitored or detected by Avaya Orchestrator.

What is causing this problem?

- A. The new host has not been correctly configured to support vMotion.
- B. The new host has not been added to Avaya Orchestrator.
- C. The new host has not been licensed yet.
- D. The new host has not been configured for Auto Detection.

Correct Answer: B

#### **QUESTION 3**

Which three examples of hardware equipment redundancy are built into the ACP 4200? (Choose three.)

- A. Redundant iLO connections to each HP server.
- B. Redundant storage processors in the storage arrays.
- C. Redundant hot swap switch CPU modules.
- D. Redundant power supplies in all hardware components.
- E. Redundant pairs of Power Distribution Units.

Correct Answer: ACE

#### **QUESTION 4**

## Leads4Pass

With ACP 4200, what is mandatory to ensure Avaya Aura?High Availability across the two Data Centers?

- A. A single vCenter Server that manages both Data Centers.
- B. Network connectivity to and in between the two Data Centers.
- C. Identical compute servers in both Data Centers.
- D. The same VLANs in both Data Centers.

Correct Answer: A

Reference: https://downloads.avaya.com/css/P8/documents/101054952 (9)

#### **QUESTION 5**

Which Extreme Networks switch model is used in a new ACP 4200 release 4.0?

- A. VSP 4850
- B. VSP 7254
- C. VSP 8400
- D. VSP 7024
- Correct Answer: B

Reference: https://downloads.avaya.com/css/P8/documents/101054946 (84)

75940X PDF Dumps

75940X Exam Questions

75940X Braindumps