

98-361^{Q&As}

Software Development Fundamentals

Pass Microsoft 98-361 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/98-361.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

When a web service is referenced from a client application in Microsoft Visual Studio, which two items are created? (Choose two.)

- A. a stub
- B. a proxy
- C. a disco file
- D. a wsdlfile

Correct Answer: AD

QUESTION 2

This question requires that you evaluate the underlined text to determine if it is correct.

Converting an object to a more general type is called upcasting. Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. No change is needed
- B. downcasting
- C. interfacing
- D. flexing

Correct Answer: A

QUESTION 3

Which language uses Data Definition Language (DDL) and Data Manipulation Language (DML)?

- A. Java
- B. C++
- C. SQL
- D. Pascal

Correct Answer: C

SQL uses DDL and DML.

QUESTION 4

This question requires that you evaluate the underlined text to determine if it is correct.

A table whose attributes depend only on the primary key must be at least second normal form.

Select the correct answer if the underlined text does not make the statement correct. Select "No change is needed" if the underlined text makes the statement correct.

- A. No change is needed
- B. first
- C. third
- D. fourth

Correct Answer: A

QUESTION 5

The purpose of the Finally section in an exception handler is to:

- A. Execute code regardless of whether an exception is thrown.
- B. Conclude the execution of the application.
- C. Execute code only when an exception is thrown.
- D. Break out of the error handler.

Correct Answer: A

By using a finally block, you can clean up any resources that are allocated in a try block, and you can run code even if an exception occurs in the try block. Typically, the statements of a finally block run when control leaves a try statement. The transfer of control can occur as a result of normal execution, of execution of a break, continue, goto, or return statement, or of propagation of an exception out of the try statement.

[98-361 Practice Test](#)

[98-361 Study Guide](#)

[98-361 Braindumps](#)