

98-382^{Q&As}

Introduction to Programming Using JavaScript

Pass Microsoft 98-382 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/98-382.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

HOTSPOT

You analyze the following code fragment. Line numbers are included for reference only.

```
01 "use strict";
02 var val1 = 25;
03 var val2 = 4;
04 function multiply() {
05     return val1 * val2;
06 }
07
08 console.log("Global multiply returns() : " + multiply());
09 multiply();
10
11 function getProduct() {
12     var val1 = 2;
13     var val2 = 3;
14
15     function multiply() {
16         return val1 * val2;
17     }
18
19     return multiply();
20 }
```

Hot Area:

Answer Area

Yes

No

The call to the `multiply` function on line 09 returns 100.

The call to the `multiply` function on line 19 returns 100.

Correct Answer:

Answer Area

Yes

No

The call to the `multiply` function on line 09 returns 100.

The call to the `multiply` function on line 19 returns 100.

QUESTION 2

HOTSPOT

You are creating JavaScript code that manipulates dates. You want to initialize a Date object with the date January 1, 2017 by using the year, month, and date parameters.

How should you complete the code? To answer, select the appropriate code segment in the answer area.

Hot Area:

Answer Area

```
var date = new Date(
```

17	,	0	,	0);
2017		1		1	
		Jan			
		January			

Correct Answer:

Answer Area

```
var date = new Date(
```

17	,	0	,	0);
2017		1		1	
		Jan			
		January			

References: https://www.w3schools.com/js/js_dates.asp

QUESTION 3

DRAG DROP

A JavaScript array is initialized as follows:

```
var array = [20, 40, 60, 80];
```





You write the following code to manipulate the array:

```
array.shift();  
array.pop();  
array.push(10);  
array.unshift(100);
```



You need to determine the contents of the array.

Which four elements does the array contain in sequence? To answer, move the appropriate elements from the list of elements to the answer area and arrange them in the correct order.

Select and Place:

Elements		Answer area
10	 	 
20		
40		
60		
80		
100		

Correct Answer:

Elements		Answer area
20	 	100 40 60 10
80		

References: <https://www.bennadel.com/blog/1796-javascript-array-methods-unshift-shift-push-and-pop.htm>

QUESTION 4

DRAG DROP

Evaluate the following code. Line numbers are included for reference only.

```
01 var n = 50;  
02 var c = n + 5;  
03 var a = n % 2;  
04 var d = c / 11;  
05 n = d * 2;  
07 console.log(n, c, a, d);
```

What is the value of each variable at line 07? To answer, drag the appropriate value to the correct variable. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Select and Place:

Values

0	5	10	55	100	110	25	1
---	---	----	----	-----	-----	----	---

Answer Area

n	<input type="text"/>
c	<input type="text"/>
a	<input type="text"/>
d	<input type="text"/>

Correct Answer:

Values

<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	100	110	25	1
----------------------	----------------------	----------------------	----------------------	-----	-----	----	---

Answer Area

n	<input type="text" value="10"/>
c	<input type="text" value="55"/>
a	<input type="text" value="0"/>
d	<input type="text" value="5"/>

References: https://www.w3schools.com/js/js_arithmetic.asp

QUESTION 5

HOTSPOT

You are evaluating a colleague's code to ensure it meets best practices.

For each of the following statements, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

	Yes	No
The characters <code>//</code> are used to mark a single line as a comment.	<input type="checkbox"/>	<input type="checkbox"/>
<code>totalScore</code> is in the correct format according to standard naming conventions for JavaScript.	<input type="checkbox"/>	<input type="checkbox"/>
<code>~score</code> can be used as a variable name.	<input type="checkbox"/>	<input type="checkbox"/>
<code>switch</code> can be used as a variable name.	<input type="checkbox"/>	<input type="checkbox"/>

Correct Answer:

Answer Area

	Yes	No
The characters <code>//</code> are used to mark a single line as a comment.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<code>totalScore</code> is in the correct format according to standard naming conventions for JavaScript.	<input type="checkbox"/>	<input checked="" type="checkbox"/>
<code>~score</code> can be used as a variable name.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
<code>switch</code> can be used as a variable name.	<input type="checkbox"/>	<input checked="" type="checkbox"/>

References: https://www.w3schools.com/js/js_conventions.asp

[98-382 PDF Dumps](#)

[98-382 Study Guide](#)

[98-382 Brindumps](#)