

98-382^{Q&As}

Introduction to Programming Using JavaScript

Pass Microsoft 98-382 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/98-382.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

HOTSPOT

Your instructor has asked you to write a program that uses simple rules to help determine if a person should take the train, drive their car, or ride a bike, depending on the conditions of the weather and the amount of gas in the car's tank.

The program has the following requirements:

When the temperature is above 65 degrees and it is not raining, the person should be told to ride their bike.



When it is raining, the person should be told to drive their car.

If their car has half a tank of gas or less, they should be told to take the train.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

Hot Area:

Answer Area

```
if(temperature > 65  !raining)
    advice = "Ride Bike";
else if(fuelTank  .5)
    advice = "Take Train";
else
    advice = "Drive your car";
```

Correct Answer:

Answer Area

```

if(temperature > 65
    &&
    ==
    ||
    &
    >
    !raining)
    advice = "Ride Bike";
else if(fuelTank
    ==
    ||
    <=
    &&
    >
    .5)
    advice = "Take Train";
else
    advice = "Drive your car";

```

References: https://www.w3schools.com/jsref/jsref_operators.asp

QUESTION 2

DRAG DROP

Your instructor has asked you to implement code that would display a two-dimensional array of any size inside a tag.

You write the following code:

```

var div = document.getElementById('board');
var board = [['-', 'X', '-', 'X'], ['-', '0', 'X', '0'], ['X', '0', '-', '0']];

```

You need to complete the code.

Which three segments should you use to develop the solution? To answer, move the appropriate code segments from the list of code segments to the answer area and arrange them in the correct order.

Select and Place:

Code Segments

```

for(var k = 0; k < board[0].length; k++)
    div.innerHTML = div.innerHTML + board[i][j] + ' ';

for(i < board.length; i = i + 1){

    for (var j = 0; j < board[0].length; j = j + 1)
        div.innerHTML = div.innerHTML + board[i][j] + ' ';

    for (var i = 0; i < board.length; i++) {

        div.innerHTML = div.innerHTML + '<br>';

    }

    for(var j = i; j < board[0].length; j++)
        div.innerHTML = div.innerHTML + board[i][j] + ' ';
    
```

Answer Area



Correct Answer:

Code Segments

```

for(var k = 0; k < board[0].length; k++)
    div.innerHTML = div.innerHTML + board[i][j] + ' ';

for(i < board.length; i = i + 1){

    for (var j = 0; j < board[0].length; j = j + 1)
        div.innerHTML = div.innerHTML + board[i][j] + ' ';

    }

    }
    
```

Answer Area

```

for (var i = 0; i < board.length; i++) {

    for(var j = i; j < board[0].length; j++)
        div.innerHTML = div.innerHTML + board[i][j] + ' ';

    div.innerHTML = div.innerHTML + '<br>';

}
    
```



References: http://www.plus2net.com/javascript_tutorial/array-two-dimension.php

QUESTION 3

HOTSPOT

For each of the following segments, select Yes if the statement is true. Otherwise, select No.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

	Yes	No
When using a GET request with a form, the data length is restricted.	<input type="radio"/>	<input type="radio"/>
Only GET requests should be used when handling sensitive form data.	<input type="radio"/>	<input type="radio"/>
Form POST requests are cached.	<input type="radio"/>	<input type="radio"/>
Form POST requests will always remain in the browser history.	<input type="radio"/>	<input type="radio"/>

Correct Answer:

Answer Area

	Yes	No
When using a GET request with a form, the data length is restricted.	<input checked="" type="radio"/>	<input type="radio"/>
Only GET requests should be used when handling sensitive form data.	<input type="radio"/>	<input checked="" type="radio"/>
Form POST requests are cached.	<input type="radio"/>	<input checked="" type="radio"/>
Form POST requests will always remain in the browser history.	<input type="radio"/>	<input checked="" type="radio"/>

References: https://www.w3schools.com/tags/ref_httpmethods.asp

QUESTION 4

You are designing a web page with a script that must dynamically change the content of a paragraph element to display the value returned by the function randomQuote(). You have created the following code. Line numbers are included for reference only.

```
01 <!DOCTYPE html>
02 <html>
03 <body>
04 <p id="tester" onclick="changeText()">Click to change the content.</p>
05 <input type="button" value="Change Text" onclick="changeText()" />
06 <script>
07 function changeText() {
08
09 }
10 </script>
11 </body>
12 </html>
```

Which code segment should you use at line 08?

- A. document.getElementById("tester").value = randomQuote();
- B. document.getElementById("tester").title = randomQuote();
- C. document.getElementById("tester").innerHTML = randomQuote();
- D. document.getElementById("tester").script = randomQuote();

Correct Answer: C

References: https://www.w3schools.com/html/html_scripts.asp

QUESTION 5

DRAG DROP

You are creating a web page that requests a username.

You create the following HTML form:

```
<form id="credentials" action="#" method="get">
  <p>Username: <input type="text" id="username" /></p>
  <input type="button" onclick=" getUsername()" value="Submit">
</form>
```

You need to write a function that retrieves the username from the form.

How should you complete the code? To answer, drag the appropriate code segments to the correct locations. Each function may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view

content.

NOTE: Each correct selection is worth one point.

Select and Place:

Code Segments

document	firstChild	forms	HTMLDocument
innerHTML	value	window	

Answer Area

```
function getUsername() {
  var username = [ ] . [ ] .credentials.username. [ ] ;
  alert('Welcome, ' + username);
}
```

Correct Answer:

Code Segments

	firstChild		HTMLDocument
	value	window	



Answer Area

```
function getUsername() {  
    var username = document . forms .credentials.username. innerHTML ;  
    alert('Welcome, ' + username);  
}
```

References: https://www.w3schools.com/jsref/coll_doc_forms.asp

[98-382 PDF Dumps](#)

[98-382 Study Guide](#)

[98-382 Braindumps](#)