

Introduction to Programming Using Java

# Pass Microsoft 98-388 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/98-388.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft Official Exam Center

Instant Download After Purchase

100% Money Back Guarantee

😳 365 Days Free Update

Leads4Pass

800,000+ Satisfied Customers



### **QUESTION 1**

HOTSPOT


The program is supposed to display a message to the console while it counts down from 60. The method does not work as intended.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

# Answer Area



Correct Answer:

# Answer Area

```
public static void main(String[] args) {
    int timer = 60;
    while (timer
                              0) {
                           v
                  <=
                  >=
                  = =
                  =>
                            0) {
     if (timer
                         *
                 =
                 ==
                 =
                 =>
          break;
      }
      else {
          System.out.println("The timer is counting down...");
          timer
                          ₩;
                  +=
                  ++
                 -
                 --
                  -=
      }
   }
}
```

References: https://docs.oracle.com/javase/tutorial/java/nutsandbolts/operators.html

## **QUESTION 2**

You need to analyze the following code segment. Line numbers are included for reference only.

01	<pre>public void printInt()</pre>
02	{
03	if (true) {
04	int num = 1;
05	if (num > 0) {
06	num++;
07	}
08	
09	int num = 1;
10	addOne(num);
11	num = num - 1;
12	System.out.println(num);
13	}
14	
15	<pre>public void addOne(int num)</pre>
16	{
17	num = num + 1;
18	}

What is the output of line 12 when you run printInt()?

A. 0 B. 1

C. 2

D. 3

Correct Answer: A

### **QUESTION 3**

DRAG DROP

You attend an interview for a job as a Java programmer.

You need to declare a two by three array of the double type with initial values.

How should you complete the code? To answer, drag the appropriate code segment to the correct location. Each code segment may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to

view content.

NOTE: Each correct selection is worth one point.

Select and Place:

# Image: Code Segments Image: Code Segments

],[

# Answer Area

	double[][] maxA	Array =	0.77,3.4,55	2.2,.6	945,2
7.25					
-0.					
0.					
0					
0					

### Correct Answer:

},{

Code Segments		Answer Area	
]]	]];	double[][] maxArray = {{ 0.77,3.4,55 },{ 2.2,.045,2 }}	;
][			
	H		
	]`[		

## **QUESTION 4**

### HOTSPOT

You are creating a method that processes invoices. The invoices are contained in an ArrayList instance. After each invoice is processed, the method must remove the invoice from the ArrayList instance.

How should you complete the code? To answer, select the appropriate code segments in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

# Answer Area

```
public static void Process(ArrayList<String> invoices)
ł
  for (int i =
                     ▼; i < invoices.
                                                      v
                                                        ;
                                                                         v
                 0
                                          size()
                  1
                                          size() - 1
                                                             i = i + 1
                                          size() + 1
   {
      String invoice = invoices.get(i);
      // TODO: Process the invoice
      invoices.remove(i);
   }
}
```

Correct Answer:

## Answer Area

```
public static void Process(ArrayList<String> invoices)
{
  for (int i =
                     ▼ ; i < invoices.
                                                       V
                                                         ;
                                                                         v
                 0
                                           size()
                  1
                                          size() - 1
                                                             i = i + 1
                                          size() + 1
   ł
      String invoice = invoices.get(i);
      // TODO: Process the invoice
      invoices.remove(i);
   }
}
```

References: https://beginnersbook.com/2013/12/java-arraylist/

### **QUESTION 5**

The question requires that you evaluate the underlined text to determine if it is correct.

You should use an int data type to store the numeric value 3,000,000,000 (3 billion) so that the least amount of memory is used.

Review the underlined text. If it makes the statement correct, select "No change is needed." If the statement is incorrect, select the answer choice that makes the statement correct.

A. No change is needed.

B. a short

C. a byte



D. a long

Correct Answer: D

Latest 98-388 Dumps

98-388 VCE Dumps

98-388 Braindumps