9A0-384 Q&As

Adobe Experience Manager 6 Developer Exam

Pass Adobe 9A0-384 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/9a0-384.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Adobe Official Exam Center

⚙ **Instant Download** After Purchase

⚙ **100% Money Back** Guarantee

⚙ **365 Days** Free Update

⚙ **800,000+** Satisfied Customers

QUESTION 1

What is the optimal way to check-out content from the JCR repository to the local file system?

A. Use VLT export command.

B. Create and build a package using CQ Package manager. Download and unzip the package in the local file system.

C. Use VLT import command.

D. Download content from the repository as an XML file.

Correct Answer: C

http://docs.adobe.com/docs/en/cq/5-6-1/core/how_to/how_to_use_the_vlttool.html

QUESTION 2

Assume there are multiple publish instances (publ,pub2 and pub3) serving requests for an online shopping site. The end user is allowed to provide reviews and comments for each product and about their shopping experience. The Dispatcher module is in place to load balance the requests to publish instances and there is only one author instance, named author, where content editors create the pages. When a user, named User A, provides comments and the request being served by publish Instance publ, in which three ways are these comments replicated to pub2 and pub3? (Choose three.)

A. Configure the dispatcher flush for the author pointing to a webserver uri on which the Dispatcheris deployed and configured.

B. Configure replication agents for the author pointing to publ, pub2 and pub3.

C. Configure reverse replication agents for the author pointing to publ, pub2 and pub3.

D. Configure a static agent for the author.

Correct Answer: ACD

http://docs.adobe.com/docs/en/cq/5-4/deploying/configuring_cq.html

QUESTION 3

You want to invert the order of display of components added to parsys provided out of the box. Recently added components always have to display on top. While implementing the new parsys component, which two options are valid? (Choose two).

A. Copy the parsys component and all its contents from /libs/foundation/components/parsys to /apps/foundation/components/parsys and modify the applicable JSPs.

B. Copy the only applicable parsys component JSPs from /libs/foundation/components/parsys to /apps/foundation/components/parsys and modify them.

C. Create a new parsys component under/apps//components/content/myparsys and apply the property sling:resourceSuperType=foundation/components/parsy$, modify the JSP as applicable,

D. Create a new parsys component from scratch.

Correct Answer: BC

https://docs.adobe.com/docs/en/cq/5-6/developing/components.html

QUESTION 4

What is the difference between extending a component and component overlay?

A. There is NO difference.

B. Overlay is to override default component functionality. Extending is to extend the component functionality through the use of Resource Hierarchy and super types.

C. Overlay is to extend the component functionality through the use of Resource Hierarchy and super types. Extending is to override default component functionality.

D. Extending component means extending the behavior of foundation component, Overlay component is overriding the behavior of custom component.

Correct Answer: C

http://docs.adobe.com/docs/en/aem/6-0/develop/social-communities/scf/client-customize.html

QUESTION 5

You have written an OSGi service with the class name com.acme.myapp.EmailUpdate, You only we this service to run on the publish instance. Which two configurations would run the service on the publish instance only? (Choose two).

A) /apps/myapp/config.publish/com.acme.myapp.EmailUpdate.properties (node location)
com.acme.myappEmailUpdate.properties is a node with a jcr:primaryType = nt:file

B) /apps/myapp/config.publish/com.acme.myapp.EmailUpdate.config (node location)
com.acme.myappEmailUpdate.config is a node with a jcr:primaryType = nt:file

C) /apps/myapp/config.publish/com.acme.myapp.EmailUpdate.config (node location)
com.acme.myappEmailUpdate.config is a node with a jcr:primaryType = sling.OsgiConfig

D) /apps/myapp/config.publish/com.acme.myapp.EmailUpdate (node location)
com.acme.myappEmailUpdate is a node with a jcr:primaryType = sling.OsgiConfig

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: BC

[Latest 9A0-384 Dumps](#)   [9A0-384 PDF Dumps](#)   [9A0-384 VCE Dumps](#)