

## A00-202<sup>Q&As</sup>

SAS advanced programming exam

### Pass SASInstitute A00-202 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/a00-202.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The following SAS program is submitted:

```
%macro test(var);  
proc print data = sasuser.class;  
where age > andvar;  
run;  
%mend;
```

Which type of parameter is the macro variable VAR?

- A. default
- B. keyword
- C. positional
- D. command

Correct Answer: C

---

**QUESTION 2**

The following SAS program is submitted:

```
proc sql;  
select *  
from dictionary.tables;  
quit;
```

Which one of the following is reported?

- A. metadata on all tables in all libraries
- B. metadata on all tables in the WORK library only
- C. metadata on all tables in the SASUSER library only
- D. metadata on all tables in the DICTIONARY library only

Correct Answer: A

---

**QUESTION 3**

The following SAS program is submitted:

```
%macro execute;  
  
proc print data = sasuser.houses;  
  
run;  
  
%end;  
  
%mend;
```

Which of the following completes the above program so that it executes on Tuesday?

- A. %if andsysday = Tuesday %then %do;
- B. %if andsysday = \'Tuesday\' %then %do;
- C. %if "andsysday" = Tuesday %then %do;
- D. %if \'andsysday\' = \'Tuesday\' %then %do;

Correct Answer: A

---

**QUESTION 4**

The following SAS program is submitted:

```
data temp;  
  
array points{3,2}_temporary_ (10,20,30,40,50,60); score = points{2,1}  
  
run;
```

Which one of the following is the value of the variable SCORE in the data set TEMP?

- A. 10
- B. 20
- C. 30
- D. 40

Correct Answer: C

---

**QUESTION 5**

The following SAS program is submitted:

```
data two;
```

```
y = \\2\\;
```

```
run;
```

```
%let x = 10;
```

```
%let var = y;
```

```
data one;
```

```
set two (keep = andvar);
```

```
z = andvar * andx;
```

```
run;
```

Which one of the following is the value of the variable Z when the program finishes execution?

- A. \_ERROR\_
- B. 20 (as a numeric)
- C. 20 (as a character)
- D. . (missing numeric)

Correct Answer: B

[Latest A00-202 Dumps](#)

[A00-202 Study Guide](#)

[A00-202 Exam Questions](#)