

A00-215^{Q&As}

SAS 9.4 Programming Fundamentals Exam

Pass SASInstitute A00-215 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/a00-215.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by SASInstitute Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which variable in the Program Data Vector represents the number of times the Data step has iterated?

- A. N
- B. `_N_`
- C. `_Obs_`
- D. Obs

Correct Answer: B

<https://v8doc.sas.com/sashtml/lrcon/z0961108.htm>

QUESTION 2

Which statements read the input data set SASHELP.SHOES and create the output data set WORK.TOTAL?

- A. `data sashelp.shoes; out work.total;`
- B. `data sashelp.shoes; output work.total;`
- C. `data work.total; set sashelp.shoes;`
- D. `data out=work.total; input sashelp.shoes`

Correct Answer: A

QUESTION 3

What is the default sort order of PROC SORT?

- A. Internal
- B. Ascending
- C. Formatted
- D. Descending

Correct Answer: B

<https://documentation.sas.com/?docsetId=procanddocsetTarget=n12jw1r2n7auqqn1urh8jwez00.htm&docsetVersion=9.4&locale=en#:~:text=ASCENDING%20is%20the%20default%20sort%20order.andt ext=In%20a%20PROC%20SORT%20KEY,is%20sorted%20in%20ascending%20order.>

QUESTION 4

When the following code is submitted, execution fails.

```
data under13 over13;
  set sashelp.class;
  if age<13 then do;
    age_cat='Under 13';
    output under13;
  else if age>=13 then do;
    age_cat='Over 13';
    output over13;
run;
```

Why does the execution fail?

- A. Multiple executable statements are not allowed in the DO block.
- B. The OUTPUT statement is not allowed in the DO block.
- C. There are two unclosed DO block.
- D. The conditional logic expressions fail for the DO block

Correct Answer: A

QUESTION 5

Which program correctly subsets the SASHELP.BASEBALL data set to include only the players in the East Division with 75 or more hits?

- A. data bball; set sashelp.baseball; where Division = 'East' and nHits >= 75; run;
- B. data bball; set sashelp.baseball; where Division = 'East'; where nHits >= 75; run;
- C. data bball; set sashelp.baseball; where Division = 'East' or nHits >= 75;
- D. data bball; set sashelp.baseball; where Division = 'East' and nHits >= 75; run;

Correct Answer: A

[Latest A00-215 Dumps](#)

[A00-215 Practice Test](#)

[A00-215 Study Guide](#)