

## A2090-544<sup>Q&As</sup>

Assessment: DB2 9.7 Advanced DBA for LUW - Assessment

### Pass IBM A2090-544 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/a2090-544.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Given the following table spaces, their associated page size, and number of pages:

```
TSP1          - 16K page size, 10000 pages
TSP2          - 8K  page size, 10000 pages
TSP3          - 4K  page size, 20000 pages
USERSPACE1   - 4K  page size, 5000  pages
```

Which sets of buffer pools will ensure that all of the data in the table spaces will be fit into memory for optimal data access?

- A. IBMDEFAULTBP - 16K page size, 85000 pages
- B. IBMDEFAULTBP - 4K page size, 25000 pagesBP1 -16K page size, 20000 pages
- C. BP1 - page size 8K, 45000 pages
- D. BP1 - 4K page size, 30000 pagesBP2 - 8K page size, 20000 pagesBP3 - 16K page size, 15000 pages

Correct Answer: D

---

## QUESTION 2

If the shared sort heap threshold parameter SHEAPTHRES\_SHR is set to AUTOMATIC, what will happen?

- A. All sorts will be done in a temporary table space.
- B. The shared sort memory allocation will be controlled by DB2.
- C. No shared memory is allocated for sorting.
- D. All sorts will be done in shared memory.

Correct Answer: B

---

## QUESTION 3

What new security authorities have been introduced in DB2 V9.7?

- A. WLMADM, ACCESSCTRL, SECADMIN
- B. EXPLAIN, SECADMIN, DATAACCESS
- C. SECADMIN, ACCESSCTRL, SQLADM
- D. WLMADM, SQLADM, EXPLAIN

Correct Answer: D

---

**QUESTION 4**

In order for HADR to start, which statement is true when setting the HADR\_TIMEOUT database configuration value?

- A. The HADR\_TIMEOUT value must be identical on both the primary and the standby server.
- B. Changes to the HADR\_TIMEOUT value will take effect immediately.
- C. If the HADR\_TIMEOUT value is set to -1, connection timeouts will not occur.
- D. If the HADR\_TIMEOUT value is different between the two servers, the lowest value is used.

Correct Answer: A

---

**QUESTION 5**

Click the Exhibit button.

```
put on assessment exam ?use previous question for exam)
```

```
CATALOG TCPIP NODE node001 REMOTE
hostnm01.ca.xyzcorp.com SERVER 446;
CATALOG DATABASE dsample AT NODE node001
AUTHENTICATION DCS;
CATALOG DCS DATABASE dsample AS bigdb001;
TERMINATE;
CCNNECT TO dsample USER tsouser USING tsopwd;
```

In a DB2 Connect scenario between a Windows client and a z/OS server, the commands in the exhibit produced an SQL30061N error while trying to connect to the BIGDB001 database in the DB2T subsystem on the z/OS server: SQL30061N The database alias or database name name was not found at the remote node. Explanation: The database name is not an existing database at the remote database node. The statement cannot be processed. The z/OS DBA has confirmed that the LOCATION NAME is DB2T. Which change would enable the command in the exhibit to execute correctly?

- A. CATALOG DATABASE bigdb001 AS dsample AT NODE db2t AUTHENTICATION DCS
- B. CATALOG DCS DATABASE dsample AS db2t
- C. CATALOG DCS DATABASE db2t AS dsample
- D. CATALOG DATABASE db2t AS dsample AT NODE node001 AUTHENTICATION DCS

Correct Answer: B

[Latest A2090-544 Dumps](#)

[A2090-544 VCE Dumps](#)

[A2090-544 Study Guide](#)