

## A4040-221<sup>Q&As</sup>

Assessment: AIX 7 Administration

### Pass IBM A4040-221 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/a4040-221.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

What TWO situations require a Systems Director Management Console (SDMC) instead of a Hardware Management Console (HMC)?

(Select 2)

- A. Managing POWER5, POWER6 and POWER7 servers from one interface.
- B. Creating automation plans that perform specific functions on a given event.
- C. Implementing Active Memory Sharing (AMS).
- D. Utilizing Integrated Virtualization Manager (IVM) to manage Power Systems blades.
- E. Managing Power Blades and Power Systems standalone servers from one interface.

Correct Answer: BE

---

## QUESTION 2

An administrator needs to determine if system microcode is at the most current level. Which tool will identify current microcode levels, and provide an output file which can be used by the IBM Microcode Discovery Service (MDS) for comparison?

- A. FLRT
- B. invscout
- C. lsmcode
- D. prtconf
- E. urncode\_latest

Correct Answer: B

---

## QUESTION 3

The/app1 filesystem in appvg did not mount due to a failure replaying jfslog1. Which command will reinitialize jfslog1?

- A. resysnclvodm vjfslog1
- B. logform/dev/jfslog1
- C. synclvodm appvg jfslog1
- D. format-d/dev/jfslog1

Correct Answer: B

---

## QUESTION 4

How can ssh access to an AIX 7 system be restricted to the 192.168.0.1/24 subnet?

- A. Add the service filter through RBAC with `mkauth id=192.168.0.* ssh`
- B. Add the following entry to the `hosts.allow` file: `sshd : *@192.168.0.1/24`  
Add the following entry to the `hosts.deny` file: `sshd : ALL`
- C. Add the following entry to the `/etc/ssh/sshd_config` file: `AllowUsers *@192.168.0.*`
- D. Set AIXPert to High Level Security  
Add the `AIXPertGroup` xml tag in `/etc/security/aixpert/core` to 22  
Add the `AIXPertArgs` xml tag in `/etc/security/aixpert/core` to `allow=*@192.168.0.* deny=all`

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: C

---

## QUESTION 5

An existing LPAR is configured with a vSCSI disk for a root volume group. An administrator is configuring NPIV to provide secondary storage to the partition. DLPAR operations are used to add the required client and server adapters to the client and VIO Server partitions. Once the NPIV adapters have been configured, what action should be taken against the client LPAR to ensure access to SAN storage is not compromised?

- A. Shutdown and reboot AIX.
- B. Shutdown and reactivate the profile.
- C. Save the current configuration to a profile.
- D. Add the physical WWVPN to the virtual device configuration.

Correct Answer: C

[Latest A4040-221 Dumps](#)

[A4040-221 VCE Dumps](#)

[A4040-221 Exam Questions](#)