

AAPC-CPC^{Q&As}

Certified Professional Coder (CPC) Exam

Pass AAPC AAPC-CPC Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/aapc-cpc.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by AAPC
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A patient is diagnosed with sepsis and associated acute respiratory failure. What ICD-10-CM code selection is reported?

- A. A41.9, R65.20, J96.00
- B. A41.9
- C. A41.9, R65.21, J96.00
- D. A41.9, J96.00

Correct Answer: D

QUESTION 2

The gynecologist performs a colposcopy of the cervix including biopsy and endocervical curettage.

What CPT?code is reported?

- A. 57456
- B. 57420
- C. 57455
- D. 57454

Correct Answer: D

QUESTION 3

An established patient suffering from migraines without aura, no mention of intractable migraine, and no mention of status migrainosus, is seen by his ophthalmologist who conducts a visual field examination of both eyes. The examination was accomplished plotting four isopters utilizing the Goldmann perimeter testing method. The patient and requesting physician receive the interpretation and report on the same date of service. What procedure and diagnosis codes are reported for this encounter?

- A. 92082, G43.009
- B. 92082, G43.019
- C. 92081, G43.009
- D. 92083, G43.019

Correct Answer: A

QUESTION 4

A 60-year-old male has three-vessel disease and supraventricular tachycardia which has been refractory to other management. He previously had pacemaker placement and stenting of LAD coronary artery stenosis, which has failed to solve the problem. He will undergo CABG with autologous saphenous vein and an extensive modified MAZE procedure to treat the tachycardia.

He is brought to the cardiac OR and placed in the supine position on the OR table. He is prepped and draped, and adequate endotracheal anesthesia is assured. A median sternotomy incision is made and cardiopulmonary bypass is initiated. The endoscope is used to harvest an adequate length of saphenous vein from his left leg. This is uneventful and bleeding is easily controlled. The vein graft is prepared and cut to the appropriate lengths for anastomosis. Two bypasses are performed: one to the circumflex and another to the obtuse marginal. The left internal mammary is then freed up and it is anastomosed to the ramus, the first diagonal, and the LAD. An extensive maze procedure is then performed and the patient is weaned from bypass. At this point, the sternum is closed with wires and the skin is reapproximated with staples. The patient tolerated the procedure without difficulty and was taken to the PACU.

Choose the procedure codes for this surgery.

- A. 33533, 33257, 33519, 33508
- B. 33535, 33259, 33519, 33508
- C. 33533, 33257-51, 33519-51, 33508-51
- D. 33535, 33259 51, 33519-51, 33508-51

Correct Answer: A

QUESTION 5

A catheter was placed into the abdominal aorta via the right common femoral artery access. An abdominal aortography was performed. The right and left renal artery were adequately visualized. The catheter was used to selectively catheterize the right and left renal artery. Selective right and left renal angiography were then performed, demonstrating a widely patent right and left renal artery.

What CPT coding is reported?

- A. 36251
- B. 36252
- C. 36253, 75625-26
- D. 36252, 75625-26

Correct Answer: B