

ACCP-V6.2^{Q&As}

Aruba Certified Clearpass Professional v6.2

Pass Aruba ACCP-V6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/accp-v6-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1


What is the Onboard license usage based on?

- A. Each user connected to the provisioning SSID uses 1 Onboard license.
- B. Each user authenticated using the Onboard credential uses 1 Onboard license.
- C. Each user provisioned using the Onboard process uses 1 Onboard license.
- D. Each user that has the OnGuard agent downloaded uses 1 Onboard license.
- E. Each user that downloads the Onboard application to their iOS device uses 1 Onboard license.

Correct Answer: C

QUESTION 2

Refer to the screenshot below:



Request Details			
Summary	Input	Output	Accounting
Session Identifier:	R0000028d-01-51565341		
Date and Time:	Mar 30, 2013 10:51:45 SGT		
End-Host Identifier:	00216A64F294		
Username:	00216a64f294		
Access Device IP/Port:	192.168.0.233:0		
System Posture Status:	UNKNOWN (100)		
Policies Used -			
Service:	Returning Clients - MAC Authentication		
Authentication Method:	MAC-AUTH		
Authentication Source:	Local:localhost		
Authorization Source:	[Endpoints Repository], [Insight Repository]		
Roles:	[MAC Caching], [User Authenticated]		
Enforcement Profiles:	[Allow Access Profile]		
Service Monitor Mode:	Disabled		

Why is the Insight Repository used as an authorization source for this MAC authentication service?

- A. To check how long ago the last web login authentication was done
- B. To check how many sessions ago the last web login authentication was done
- C. To check how long ago the last MAC authentication was done
- D. To run a report when the user authenticates
- E. To validate the user's MAC address against the endpoints table

Correct Answer: A

QUESTION 3

UDP Port 3799 is used for RADIUS CoA (RFC 3576). This port has been blocked by a firewall between a NAD device and ClearPass. Which of the following is true?

- A. RADIUS Authentications will fail since the NAD won't be able to reach the ClearPass server.
- B. RADIUS Authentications will not happen since the NAD won't be able to reach the ClearPass server.
- C. RADIUS Authentication will succeed, but Post-Authentication Disconnect-Requests from ClearPass to the Controller will not be delivered.
- D. RADIUS Authentication will succeed, but RADIUS Access-Accept messages from ClearPass to the Controller for Change of Role will not be delivered.
- E. During RADIUS authentication, certificate exchange between the NAD and Clearpass will fail.

Correct Answer: C

QUESTION 4

If the "Alerts" tab in an authentication session details tab in Access Tracker shows the following error message "Access denied by policy", what could be a possible cause for authentication failure?

- A. Implementation of an Enforcement Policy
- B. Implementation of a firewall policy
- C. Failure to categorize the request in a Clearpass service
- D. Implementation of a Posture Policy
- E. Failure to activate the enforcement policy

Correct Answer: A

QUESTION 5

Which of the following authentication protocols can be used for authenticating Windows clients that are Onboarded? (Choose 2)

- A. PEAP with MSCHAPv2
- B. EAP-GTC
- C. EAP-TLS
- D. PAP
- E. CHAP

Correct Answer: AC

[Latest ACCP-V6.2 Dumps](#)

[ACCP-V6.2 VCE Dumps](#)

[ACCP-V6.2 Practice Test](#)