

ACCP-V6.2^{Q&As}

Aruba Certified Clearpass Professional v6.2

Pass Aruba ACCP-V6.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/accp-v6-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Aruba
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1


To setup an Aruba Controller as DHCP relay for device fingerprinting, which of the following IP addresses needs to be configured?

- A. DHCP server IP
- B. ClearPass server IP
- C. Active Directory IP
- D. Microsoft NPS server IP
- E. Switch IP

Correct Answer: B

QUESTION 2

Refer to the screenshot below: Based on the above configuration, which of the following statements is true?



- A. ClearPass is configured as a Root CA.
- B. ClearPass is configured as the Intermediate CA.
- C. ClearPass has an expired server certificate.
- D. The arubatraining-REMOTELABSERVER-CA will issue client certificates during Onboarding.
- E. This is not a valid trust chain since the arubatraining-REMOTELABSERVER-CA has a self- signed certificate.

Correct Answer: B

QUESTION 3

Refer to the screenshot in the diagram below, as seen when configuring a Web Login Page in ClearPass Guest:

Home » Configuration » Web Logins

RADIUS Web Login

Use this form to make changes to the RADIUS Web Login **Guest Network**.

RADIUS Web Login Editor	
* Name:	<input type="text" value="Guest Network"/> Enter a name for this web login page.
Page Name:	<input type="text" value="Aruba_login"/> Enter a page name for this web login. The web login will be accessible from "/guest/page_name.php".
Description:	<input type="text"/> Comments or descriptive text about the web login.
* Vendor Settings:	<input type="text" value="Aruba Networks"/> Select a predefined group of settings suitable for standard network configurations.
Address:	<input type="text" value="securelogin.arubanetworks.com"/> Enter the IP address or hostname of the vendor's product here.
Secure Login:	<input type="text" value="Use vendor default"/> Select a security option to apply to the web login process.
Dynamic Address:	<input type="checkbox"/> The controller will send the IP to submit credentials In multi-controller deployments, it is often required to post credentials to different add The address above will be used whenever the parameter is not available or fails the r

What is the page name field used for?

- A. For Administrators to access the PHP page, but not guests.
- B. For Administrators to reference the page only.
- C. For forming the Web Login Page URL.
- D. For forming the Web Login Page URL and the page name that guests must configure on their laptop wireless supplicant.
- E. For forming the Web Login Page URL where Administrators add guest users.

Correct Answer: C

QUESTION 4

Refer to the screen capture below: Based on the Enforcement Policy configuration, if a user connects to the network using an Apple iphone, what Enforcement Profile is applied?

Summary	Enforcement	Rules
Enforcement:		
Name:	Handheld_Wireless_Access_Policy	
Description:	Enforcement policy for handheld wireless access	
Enforcement Type:	RADIUS	
Default Profile:	WIRELESS_CAPTIVE_NETWORK	
Rules:		
Rules Evaluation Algorithm:	First applicable	
Conditions	Actions	
1. (Tips:Role MATCHES_ANY [guest])	WIRELESS_GUEST_NETWORK	
2. (Endpoint:OS Version CONTAINS Android) (Tips:Role MATCHES_ANY conferencelaptop developer	WIRELESS_HANDHELD_NETWORK	
3. senior_mgmt testqa Role_Engineer)	WIRELESS_EMPLOYEE_NETWORK	

- A. WIRELESS_CAPTIVE_NETWORK
- B. WIRELESS_HANDHELD_NETWORK
- C. WIRELESS_GUEST_NETWORK
- D. WIRELESS_EMPLOYEE_NETWORK
- E. Deny Access

Correct Answer: A

QUESTION 5

Which of the following is FALSE?

- A. Active Directory can be used as the authentication source to process TACACS+ authentication requests coming to Clearpass from NAD devices
- B. Active Directory can be used as the authentication source to process Clearpass Guest Admin Access
- C. TACACS+ authentication requests received by Clearpass are always forwarded to a Windows Server that can handle these requests
- D. TACACS+ authentication requests from NAD devices to Clearpass are processed by a TACACS+ service
- E. The local user repository in Clearpass can be used as the authentication source for TACACS+ services

Correct Answer: C

[Latest ACCP-V6.2 Dumps](#)

[ACCP-V6.2 PDF Dumps](#)

[ACCP-V6.2 Braindumps](#)