

ACE-A1.2^{Q&As}

Arista Certified Engineering Associate

Pass Arista ACE-A1.2 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ace-a1-2.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Arista
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

If the SWI= statement in the boot-config file is invalid, what will happen when the switch reboots?

- A. The switch will not boot EOS, and will instead enter About.
- B. The switch will load the first SWI image it finds on flash:
- C. The switch will power off.
- D. The switch will reboot itself and try again.

Correct Answer: B

QUESTION 2

When configuring MLAG, Arista recommends that the trunk group command be used on the VLAN used for MLAG peer communication.

What is the purpose of the trunk group command?

- A. It groups all the trunks together so that they can traverse the peer-link properly.
- B. It groups the MLAG interfaces together so that they can be reported on both peers.
- C. It prevents the configured VLAN from leaking out onto other trunks.
- D. It ensures that the configured VLAN will be included on all trunks.

Correct Answer: A

QUESTION 3

What is the name of the Arista EOS feature that allows you to set triggers and perform actions on those triggers?

- A. Event Manager
- B. Event Monitor
- C. Event Trigger
- D. Event History

Correct Answer: A

Reference: <https://eos.arista.com/introduction-to-managing-eos-devices-automation-and-extensibility/>

QUESTION 4

What is the EOS command that allows Arista switches with Multi-switch CLI enabled to send interactive commands to multiple switches at once?

- A. xmpp group
- B. xmpp send switch-group
- C. xmpp session
- D. xmpp session-name

Correct Answer: C

Reference: <https://www.arista.com/en/um-eos-4172f/eos-section-2-5-session-management-commands>

QUESTION 5

On an Arista switch, which port is used to connect a laptop to the switch for initial configuration or password recovery?

- A. Ethernet 1
- B. Console
- C. Management 1
- D. Ethernet 1/1

Correct Answer: A

[ACE-A1.2 PDF Dumps](#)

[ACE-A1.2 Practice Test](#)

[ACE-A1.2 Study Guide](#)