

ACE^{Q&As}

Accredited Configuration Engineer (ACE) PAN-OS 8.0

Pass Palo Alto Networks ACE Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/ace.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Palo Alto Networks Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Ethernet VLAN Loopback Tunnel								
Interface	Interface Type	Management Profile	Link State	IP Address	Virtual Router	Tag	VLAN / Virtual-Wire	Security Zone
ethernet1/1	Layer3			Dynamic-DHCP Client	default	Untagged	none	Internet
ethernet1/2	Layer3			2.2.2.1/24	default	Untagged	none	trust
ethernet1/3	Layer3			4.4.4.4/24	default	Untagged	none	trust
ethernet1/4	Tap			none	none		none	none

Taking into account only the information in the screenshot above, answer the following question. An administrator is pinging 4.4.4.4 and fails to receive a response. What is the most likely reason for the lack of response?

- A. The interface is down.
- B. There is a Security Policy that prevents ping.
- C. There is no Management Profile.
- D. There is no route back to the machine originating the ping.

Correct Answer: C

QUESTION 2

Which three components can be sent to WildFire for analysis? (Choose three.)

- A. URL links found in email
- B. files traversing the firewall
- C. MGT interface traffic
- D. email attachments

Correct Answer: ABD

QUESTION 3

Which feature is a dynamic grouping of applications used in Security policy rules?

- A. implicit applications
- B. dependent applications
- C. application group

D. application filter

Correct Answer: C

QUESTION 4

Which of the following options may be enabled to reduce system overhead when using Content ID?

A. STP

B. VRRP

C. RSTP

D. DSRI

Correct Answer: D

QUESTION 5

What needs to be done prior to committing a configuration in Panorama after making a change via the CLI or web interface on a device?

A. No additional actions required

B. Synchronize the configuration between the device and Panorama

C. Make the same change again via Panorama

D. Re-import the configuration from the device into Panorama

Correct Answer: A

[Latest ACE Dumps](#)

[ACE PDF Dumps](#)

[ACE Practice Test](#)