

ACLS^{Q&As}

Advanced Cardiac Life Support

Pass Test Prep ACLS Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/acls.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Test Prep
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

FILL BLANK

What is the treatment for verapamil overdose?

A. Calcium chloride.

Correct Answer: A

QUESTION 2



Identify the rhythm by selecting the best single answer:

- A. Normal sinus rhythm
- B. Sinus tachycardia
- C. Sinus bradycardia
- D. Reentry supraventricular tachycardia
- E. First-degree AV Block
- F. Second-degree AV Block (Mobitz 1 Wenckebach)
- G. Second-degree AV Block (Mobitz II Block)
- H. Third-degree AV Block
- I. Atrial fibrillation
- J. Atrial flutter
- K. Monomorphic ventricular tachycardia
- L. Polymorphic ventricular tachycardia
- M. Coarse ventricular fibrillation

- N. Fine ventricular fibrillation
- O. Agonal rhythm/asystole
- P. Pulseless electrical activity

Correct Answer: H

QUESTION 3

SIMULATION

Identify the signs and symptoms of generalized hypothermia and how you would assess a patient experiencing hypothermia.

A. Cold or cool skin temperature. Place the back of the hand between the clothing and the patient's abdomen to assess the general temperature of the patient. The patient experiencing a generalized cold emergency will present with cold abdominal skin temperature; a decreasing mental status or motor function, which directly correlates with a degree of hypothermia.

Correct Answer: A

QUESTION 4

FILL BLANK

When giving a patient epinephrine via the endotracheal tube, the proper dose should be 2-2.5 times the recommended IV dose. How much normal saline should be used?

- A. 10 ml of normal saline

Correct Answer: A

QUESTION 5



Identify the rhythm by selecting the best single answer:

- A. Normal sinus rhythm
- B. Sinus tachycardia
- C. Sinus bradycardia
- D. Reentry supraventricular tachycardia
- E. First-degree AV Block
- F. Second-degree AV Block (Mobitz 1 Wenckebach)
- G. Second-degree AV Block (Mobitz II Block)
- H. Third-degree AV Block
- I. Atrial fibrillation
- J. Atrial flutter
- K. Monomorphic ventricular tachycardia
- L. Polymorphic ventricular tachycardia
- M. Coarse ventricular fibrillation
- N. Fine ventricular fibrillation
- O. Agonal rhythm/asystole
- P. Pulseless electrical activity

Correct Answer: L

[Latest ACLS Dumps](#)

[ACLS Practice Test](#)

[ACLS Brainsdumps](#)