

# ACMA\_6.1<sup>Q&As</sup>

Aruba Certified Mobility Associate 6.1

## Pass HP ACMA\_6.1 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

[https://www.leads4pass.com/acma\\_6-1.html](https://www.leads4pass.com/acma_6-1.html)

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which of the following parameters is not needed by Visual RF Plan in order to Plan APs on a floor region?

- A. AP Type
- B. PHY Type
- C. Distance to Controller
- D. Environment
- E. Desired Data Rate

Correct Answer: C

---

## QUESTION 2

Which of the following information is gathered by APs during scanning periods? (Select three)

- A. MAC addresses of neighboring APs
- B. Security threats in the surroundings
- C. Type of non-802.11 interference detected
- D. Interfering Clients connected to other APs
- E. 4.9 GHz devices

Correct Answer: ABD

---

## QUESTION 3

Which of the following cannot be accomplished from the startup wizard?

- A. Basic controller configuration
- B. License installation
- C. VPN configuration
- D. WLAN configuration
- E. Firewall Roles

Correct Answer: C

---

## QUESTION 4

Which ARM function converts APs with excess capacity into Air Monitors?

- A. Airtime fairness
- B. Coordinated access to a single channel
- C. Co-channel interference mitigation
- D. Client aware scanning
- E. Band Steering

Correct Answer: C

---

## QUESTION 5

Identify the benefits of using aliases when writing firewall policies (Select three)

- A. Makes policies more readable.
- B. Changes to policy rules that use aliases are auto updated.
- C. End users are applied to the proper role.
- D. Can be applied to a Role
- E. Simplifies repetitive configuration.

Correct Answer: ABE

[Latest ACMA 6.1 Dumps](#)

[ACMA 6.1 Study Guide](#)

[ACMA 6.1 Braindumps](#)