

ACMA_6.3^{Q&As}

Aruba Certified Mobility Associate 6.3

Pass HP ACMA_6.3 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

https://www.leads4pass.com/acma_6-3.html

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by HP Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Clients connecting to a remote AP at a branch office can get an IP address through which of the following methods? (Select three)

- A. DHCP server connected to the Remote AP's controller
- B. DHCP server at a branch office
- C. Address must be statically assigned
- D. DHCP server inside the Remote AP
- E. DHCP from global content server for Remote APs

Correct Answer: ABD

QUESTION 2

When configuring a guest WLAN via the WLAN section of the startup wizard, which security option is NOT available?

- A. WEP encryption
- B. Direct access to the internet with no captive portal
- C. Captive portal with authentication via credentials
- D. Captive portal with email registration
- E. Captive Portal with no authentication or registration

Correct Answer: A

QUESTION 3

Which ARM function converts APs with excess capacity into Air Monitors?

- A. Airtime fairness
- B. Coordinated access to a single channel
- C. Co-channel interference mitigation
- D. Client aware scanning
- E. Band Steering

Correct Answer: C

QUESTION 4

Which of the following is true of an Aruba Mobility Controller acting as a layer 2 switch? (Select two):

- A. The Mobility Controller is the client's default router.
- B. The Mobility Controller acts as a bridge.
- C. All stations must use the same VLAN
- D. Uplink ports on the Mobility Controller can use 802.1q tagging
- E. VLANs cannot have IP addresses

Correct Answer: BD

QUESTION 5

What is the purpose of the validuser ACL?

- A. When a user transmits data through the controller, the validuser ACL is used to check if the user is in the layer 3 user-table
- B. Before a client is added to the controller's user table, the validuser ACL is checked to make sure the client has a valid IP address
- C. The validuser ACL is used during 802.1X authentication to check that the client is in the layer 3 user-table
- D. When an AP needs to transmit data to a user, it checks the validuser ACL to make sure the user has a valid IP address
- E. A list of configured MAC addresses that define the valid users

Correct Answer: B

[Latest ACMA 6.3 Dumps](#)

[ACMA 6.3 PDF Dumps](#)

[ACMA 6.3 Braindumps](#)