

AD0-E121^{Q&As}

Adobe Experience Manager Sites Business Practitioner Expert

Pass Adobe AD0-E121 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/ad0-e121.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by Adobe
Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

A company requests a new banner component that should conform to company design standards. Details on what the authoring dialog experience should be have not been provided.

Which two additional pieces of information should the Business Practitioner clarify for the developer? (Choose two.)

- A. Content model
- B. Selectable fields
- C. Editable elements
- D. Workflow model

Correct Answer: AB

QUESTION 2

Regarding performance, what are the Adobe recommended response Time guidelines for uneached HTML requests?

- A. 30% of the requests for pages should have a response in less than 100ms.
- B. 70% of the requests for pages should have a response in less than 100mt
- C. 20% of the requests for pages should have a response in less than 1 second.
- D. No pages should respond slower than an elapsed period o\\' 500ms.

Correct Answer: B

QUESTION 3

A content manager has many assets that the team is working to upload into AEM. Multiple users are responsible for adding the assets. Each asset must be uploaded only once.

What should the Business Practitioner update?

- A. Day CQ DAM Create Asset
- B. Digital Rights Management
- C. Asset View Servlet
- D. Day CQ DAM Asset Upload Restriction

Correct Answer: D

QUESTION 4



https://www.leads4pass.com/ad0-e121.html

2024 Latest leads4pass AD0-E121 PDF and VCE dumps Download

An end user tries to create a page on the Sites console but receives the following error:

Problem Accessing \\'\\'/content/loo/bar.html.\\' Reason: 403 Forbidden

How should the Business Practitioner categorize the issue during the initial triage?

- A. Permission issue
- B. Replication issue
- C. Development Defect
- D. AEM Product Defect

Correct Answer: A

QUESTION 5

A customer warns to ado a field to the properties of all existing and new assets in AEM Assets to capture the asset rating. After the team uploads an asset the review team needs to go through the uploaded assets and fill ta the ratings.

How should the Business Practitioner meet this requirement?

- A. Build a new schema with the rating property via the Metadata Schemas tool
- B. Create a new schema with the rating property via the Folder Metadata Schemas tool
- C. Guild a new profile with the rating property for assets via the Metadata Profiles tool
- D. Create a new profile with the rating property via the image Profiles tool

Correct Answer: C

AD0-E121 Study Guide

AD0-E121 Exam Questions

AD0-E121 Braindumps