

# A SS OCIATE-ANDROID-DEVELOPER<sup>Q&As</sup>

Google Developers Certification - Associate Android Developer (Kotlin  
and Java Exam)

**Pass Google ASSOCIATE-ANDROID-DEVELOPER  
Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/associate-android-developer.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by Google  
Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



## QUESTION 1

By adding a `RoomDatabase.Callback` to the room database builder `RoomDatabase.Builder` (method `addCallback(RoomDatabase.Callback callback)`), we can: (Choose two.)

- A. set the database factory
- B. handle database first time creation
- C. handle database opening
- D. disable the main thread query check for Room

Correct Answer: BC

---

## QUESTION 2

If you are working with a `Builder` that creates a `PeriodicWorkRequest` to run periodically once within the flex period of every interval period. What statement is correct?

- A. The repeat interval must be greater than `PeriodicWorkRequest.MIN_PERIODIC_INTERVAL_MILLIS` and the flex interval must be greater than `PeriodicWorkRequest.MIN_PERIODIC_FLEX_MILLIS`.
- B. The repeat interval must be lower than or equal to `PeriodicWorkRequest.MIN_PERIODIC_INTERVAL_MILLIS` and the flex interval must be lower than or equal to `PeriodicWorkRequest.MIN_PERIODIC_FLEX_MILLIS`.
- C. The repeat interval must be greater than or equal to `PeriodicWorkRequest.MIN_PERIODIC_INTERVAL_MILLIS` and the flex interval can be anything in relation to `PeriodicWorkRequest.MIN_PERIODIC_FLEX_MILLIS`.
- D. The repeat interval must be greater than or equal to `PeriodicWorkRequest.MIN_PERIODIC_INTERVAL_MILLIS` and the flex interval must be greater than or equal to `PeriodicWorkRequest.MIN_PERIODIC_FLEX_MILLIS`.

Correct Answer: D

Videos:

1.

Working with `WorkManager`, from the 2018 Android Dev Summit

2.

`WorkManager`: Beyond the basics, from the 2019 Android Dev Summit

Reference: <https://developer.android.com/reference/androidx/work/WorkManager?hl=en>

---

## QUESTION 3

What method should we use with `Notification.Builder` to supply a `PendingIntent` to be sent when the notification is clicked?

- A. setContentInfo
- B. setContentIntent
- C. setDeleteIntent

Correct Answer: B

Reference:

<https://developer.android.com/training/notify-user/build-notification>

---

## QUESTION 4

Select correct demonstration of WorkRequest cancellation.

- A. `workManager.enqueue(OneTimeWorkRequest.Builder(FooWorker::class.java).build ())`
- B. `val request: WorkRequest = OneTimeWorkRequest.Builder (FooWorker::class.java).build()`  
`workManager.enqueue(request) val status = workManager.getWorkInfoByIdLiveData(request.id) status.observe(...)`
- C. `val request: WorkRequest = OneTimeWorkRequest.Builder (FooWorker::class.java).build()`  
`workManager.enqueue(request) workManager.cancelWorkById(request.id)`
- D. `val request1: WorkRequest = OneTimeWorkRequest.Builder (FooWorker::class.java).build()` `val request2: WorkRequest = OneTimeWorkRequest.Builder (BarWorker::class.java).build()` `val request3: WorkRequest = OneTimeWorkRequest.Builder (BazWorker::class.java).build()` `workManager.beginWith(request1, request2).then(request3).enqueue()`
- E. `val request: WorkRequest = OneTimeWorkRequest.Builder (FooWorker::class.java).build()`  
`workManager.enqueue(request) workManager.cancelWork(request)`

Correct Answer: C

Videos:

1.  
Working with WorkManager, from the 2018 Android Dev Summit
2.  
WorkManager: Beyond the basics, from the 2019 Android Dev Summit

Reference: <https://developer.android.com/reference/androidx/work/WorkManager?hl=en>

---

## QUESTION 5

What happens when you create a DAO method and annotate it with @Insert?

Example:

@Dao

```
public interface MyDao {  
  
    @Insert(onConflict = OnConflictStrategy.REPLACE)  
  
    public void insertUsers(User... users);}
```

- A. Room generates an implementation that inserts all parameters into the database in a single transaction.
- B. Room modifies a set of entities, given as parameters, in the database. It uses a query that matches against the primary key of each entity.
- C. Room removes a set of entities, given as parameters, from the database. It uses the primary keys to find the entities to delete.

Correct Answer: A

[Latest ASSOCIATE-  
ANDROID-DEVELOPER  
Dumps](#)

[ASSOCIATE-ANDROID-  
DEVELOPER Practice Test](#)

[ASSOCIATE-ANDROID-  
DEVELOPER Exam  
Questions](#)