

AZ-500^{Q&As}

Microsoft Azure Security Technologies

Pass Microsoft AZ-500 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/az-500.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which Azure service provides a set of version control tools to manage code?

- A. Azure Repos
- B. Azure DevTest Labs
- C. Azure Storage
- D. Azure Cosmos DB

Correct Answer: A

Azure Repos is a set of version control tools that you can use to manage your code.

Incorrect Answers:

B: Azure DevTest Labs creates labs consisting of pre-configured bases or Azure Resource Manager templates. These have all the necessary tools and software that you can use to create environments.

D: Azure Cosmos DB is Microsoft's globally distributed, multi-model database service.

References: <https://docs.microsoft.com/en-us/azure/devops/repos/get-started/what-is-repos?view=azure-devops>

QUESTION 2**HOTSPOT**

You have an Azure subscription named Sub 1 that is associated to an Azure Active Directory (Azure AD) tenant named contoso.com. The tenant contains the users shown in the following table.

Name	Type
User1	Global administrator
User2	Security administrator
User3	Security reader
User4	License administrator

Each user is assigned an Azure AD Premium P2 license.

You plan to onboard and configure Azure AD Identity Protection.

Which users can onboard Azure AD Identity Protection, remediate users, and configure policies? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

Users who can onboard Azure AD Identity Protection:

	▼
User1 only	
User1 and User2 only	
User1,User2, and User3 only	
User1,User2, User3, and User4 only	

Users who can remediate users and configure policies:

	▼
User1 and User2 only	
User1 and User3 only	
User1, User2, and User3 only	
User1, User2, User3, and User4	

Correct Answer:

Answer Area

Users who can onboard Azure AD Identity Protection:

	▼
User1 only	
User1 and User2 only	
User1,User2, and User3 only	
User1,User2, User3, and User4 only	

Users who can remediate users and configure policies:

	▼
User1 and User2 only	
User1 and User3 only	
User1, User2, and User3 only	
User1, User2, User3, and User4	

QUESTION 3

HOTSPOT

You have an Azure subscription that contains the storage accounts shown in the following table.

Name	Type
storage1	Azure Blob storage
storage2	Azure Files SMB
storage3	Azure Table storage

You need to configure authorization access.

Which authorization types can you use for each storage account? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

storage1:

- Shared Key only
- Shared access signature (SAS) only
- Azure Active Directory (Azure AD) only
- Shared Key and shared access signature (SAS) only
- Shared Key, shared access signature (SAS), and Azure Active Directory (Azure AD)

storage2:

- Shared Key only
- Shared access signature (SAS) only
- Shared Key and shared access signature (SAS)

storage3:

- Shared Key only
- Shared access signature (SAS) only
- Azure Active Directory (Azure AD) only
- Shared Key and shared access signature (SAS) only
- Shared Key, shared access signature (SAS), and Azure Active Directory (Azure AD)

Correct Answer:

Answer Area

storage1:

Shared Key only
Shared access signature (SAS) only
Azure Active Directory (Azure AD) only
Shared Key and shared access signature (SAS) only
Shared Key, shared access signature (SAS), and Azure Active Directory (Azure AD)

storage2:

Shared Key only
Shared access signature (SAS) only
Shared Key and shared access signature (SAS)

storage3:

Shared Key only
Shared access signature (SAS) only
Azure Active Directory (Azure AD) only
Shared Key and shared access signature (SAS) only
Shared Key, shared access signature (SAS), and Azure Active Directory (Azure AD)

Reference: <https://docs.microsoft.com/en-us/azure/storage/common/authorize-data-access>

QUESTION 4

You have an Azure subscription named Subscription1.

You need to view which security settings are assigned to Subscription1 by default.

Which Azure policy or initiative definition should you review?

- A. the Audit diagnostic setting policy definition
- B. the Enable Monitoring in Azure Security Center initiative definition
- C. the Enable Azure Monitor for VMs initiative definition
- D. the Azure Monitor solution `Security and Audit` must be deployed policy definition

Correct Answer: B

Reference: <https://docs.microsoft.com/en-us/azure/security-center/tutorial-security-policy> <https://docs.microsoft.com/en-us/azure/security-center/policy-reference>

QUESTION 5

HOTSPOT

You have the hierarchy of Azure resources shown in the following exhibit.



You create the Azure Blueprint definition shown in the following table.

Name	Published at
Blueprint1	Tenant Root Group
Blueprint2	Subscription1

To which objects can you assign BluePrint1 and BluePrint2? To answer, select the appropriate options in the answer area.

Hot Area:

Blueprint1:

ManagementGroup1 only
ManagementGroup1, Subscription1, and RG1 only
ManagementGroup1, Subscription1, RG1, and VM1
Subscription1 only
Tenant Root Group only
Tenant Root Group, ManagementGroup1, and Subscription1 only

Blueprint2:

ManagementGroup1 only
Subscription1 and RG1 only
Subscription1 only
Subscription1, RG1, and VM1

Correct Answer:

Blueprint1:

ManagementGroup1 only
ManagementGroup1, Subscription1, and RG1 only
ManagementGroup1, Subscription1, RG1, and VM1
Subscription1 only
Tenant Root Group only
Tenant Root Group, MngementGroup1, and Subscription1 only

Blueprint2:

ManagementGroup1 only
Subscription1 and RG1 only
Subscription1 only
Subscription1, RG1, and VM1

Blueprints can only be assigned to subscriptions.

[AZ-500 Practice Test](#)

[AZ-500 Study Guide](#)

[AZ-500 Braindumps](#)