

AZ-800^{Q&As}

Administering Windows Server Hybrid Core Infrastructure

Pass Microsoft AZ-800 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/az-800.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Microsoft
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

HOTSPOT

You need to meet the technical requirements for VM1.

Which cmdlet should you run first? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Answer Area

	▼	VM1		▼	\$true
Set-VM			-NewVMName		
Set-VMBios			-GuestControlledCacheTypes		
Set-VMHost			-EnableHostResourceProtection		
Set-VMFirmware			-ExposeVirtualizationExtensions		
Set-VMProcessor					

Correct Answer:

Answer Area

	▼	VM1		▼	\$true
Set-VM			-NewVMName		
Set-VMBios			-GuestControlledCacheTypes		
Set-VMHost			-EnableHostResourceProtection		
Set-VMFirmware			-ExposeVirtualizationExtensions		
Set-VMProcessor					

Reference: <https://docs.microsoft.com/en-us/virtualization/hyper-v-on-windows/user-guide/nested-virtualization>

QUESTION 2

HOTSPOT

Which groups can you add to Group3 and Group5? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

Hot Area:

Group3:

Group6 only
Group1 and Group2 only
Group1 and Group4 only
Group1, Group2, Group4, and Group5 only
Group1, Group2, Group4, Groups, and Group6

Group5:

Group1 only
Group4 only
Group6 only
Group2 and Group4 only
Group4 and Group6 only

Correct Answer:

Group3:

Group6 only
Group1 and Group2 only
Group1 and Group4 only
Group1, Group2, Group4, and Group5 only
Group1, Group2, Group4, Groups, and Group6

Group5:

Group1 only
Group4 only
Group6 only
Group2 and Group4 only
Group4 and Group6 only

Group 3 = Group 1, 2 4 and 5 only. Domain-Local groups can contain members from the "forest".

Group 5 = Group 4 only. Global groups can only contain Users, Computers and Global groups from the "same" domain.

Reference:

<https://docs.microsoft.com/en-us/windows/security/identity-protection/access-control/active-directory-security-groups>

QUESTION 3

SIMULATION

You need to create a user named Admin1 in contoso.com. Admin1 must be able to back up and restore files on SRV1. The solution must use principle of the least privilege.

To complete this task, sign in the required computer or computers.

- A. See explanation below.
- B. Placeholder
- C. Placeholder
- D. Placeholder

Correct Answer: A

Step 1: Sign in to the Azure portal in the User Administrator role for the organization.


Add a new user

You can create a new user using the Azure Active Directory portal.

To add a new user, follow these steps:

Step 1. Sign in to the Azure portal in the User Administrator role for the organization.

Step 2: Search for and select Azure Active Directory from any page.



Step 3: Select Users, and then select New user.

Step 4: On the User page, enter information for this user:

Name: Admin1

User name: Admin1

Groups. Optional

Groups. Optional: Backup Operator

Step 5: Copy the autogenerated password provided in the Password box. You'll need to give this password to the user to sign in for the first time.

Step 6: Select Create.

The user is created and added to your Azure AD organization.

Note:

Azure Backup provides three built-in roles to control backup management operations.

Backup Operator - This role has permissions to everything a contributor does except removing backup and managing backup policies. This role is equivalent to contributor except it can't perform destructive operations such as stop backup

with delete data or remove registration of on-premises resources.

Incorrect:

Backup Contributor - This role has all permissions to create and manage backup except deleting Recovery Services vault and giving access to others. Imagine this role as admin of backup management who can do every backup management

operation.

Backup Reader - This role has permissions to view all backup management operations. Imagine this role to be a monitoring person.

Reference:

<https://learn.microsoft.com/en-us/azure/active-directory/fundamentals/add-users-azure-active-directory>

<https://learn.microsoft.com/en-us/azure/backup/backup-rbac-rs-vault>

QUESTION 4

SIMULATION

You need to ensure that SRV1 only leases IP addresses from the range of 192.168.1.190 to 192.168.1.200 to computers that have a MAC address that starts with aabb.

To complete this task, sign in the required computer or computers.

- A. See explanation below.
- B. Placeholder
- C. Placeholder
- D. Placeholder

Correct Answer: A

Create policies The DHCP Policy Configuration Wizard will be used to create a unique policy for SRV1. A policy configured for an individual computer is not typical and is only configured for demonstration purposes. On a corporate network, you can use wildcards and other conditions to match multiple DHCP client devices.

Step 1: In the DHCP console, under Scope, right-click Policies and then click New Policy.

Step 2: Next to Policy Name, type Client1 Policy, and then click Next.

Step 3: On the Configure Conditions for the policy page, click Add.

Step 4: In the Add/Edit Condition dialog box, choose MAC Address next to Criteria, type the MAC address for Client1 next to Value (aabb*), and then click Add, then click OK.

In our case use: aabb*

Add/Edit Condition [?] [X]

Specify a condition for the policy being configured. Select a criteria, operator and values for the condition.

Criteria:

Operator:

Values(n hex)

Value:

Append wildcard(*)

[Add] [Remove]

[Ok] [Cancel]

Step 5: Click Next, and then in Configure settings for the policy, type 192.168.1.190 next to Start IP address and type 192.168.1.200 next to End IP address.

DHCP Policy Configuration Wizard

Configure settings for the policy

If the conditions specified in the policy match a client request, the settings will be applied.

A scope can be subdivided into multiple IP address ranges. Clients that match the conditions defined in a policy will be issued an IP Address from the specified range.

Configure the start and end IP address for the range. The start and end IP addresses for the range must be within the start and end IP addresses of the scope.

The current scope IP address range is 10.0.0.1 - 10.0.0.254

If an IP address range is not configured for the policy, policy clients will be issued an IP address from the scope range.

Do you want to configure an IP address range for the policy: Yes No

Start IP address:

End IP address:

Percentage of IP address range: 39.4

Step 6: Finish the wizard.

Reference: <https://learn.microsoft.com/en-us/previous-versions/windows/it-pro/windows-server-2012-r2-and-2012/hh831538>

QUESTION 5

You have an Azure subscription that contains the following resources.

1.

An Azure Log Analytics workspace

2.

An Azure Automation account

3.

Azure Arc

You have an on-premises server named Server1 that is onboarded to Azure Arc.

You need to manage Microsoft updates on Server1 by using Azure Arc.

Which two actions should you perform? Each correct answer presents part of the solution.

NOTE: Each correct selection is worth one point.

A. Add Microsoft Sentinel to the Log Analytics workspace.

B. On Server1, install the Azure Monitor agent.

C. From the Automation account, enable Update Management for Server1.

D. From the Virtual machines data source of the Log Analytics workspace, connect Server1.

Correct Answer: BC

Reference: <https://docs.microsoft.com/en-us/azure/cloud-adoption-framework/manage/hybrid/server/best-practices/arc-update-management>

[Latest AZ-800 Dumps](#)

[AZ-800 Practice Test](#)

[AZ-800 Exam Questions](#)