

B2C-COMMERCE-ARCHITECT^{Q&As}

Salesforce Certified B2C Commerce Architect

Pass Salesforce B2C-COMMERCE-ARCHITECT Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/b2c-commerce-architect.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Salesforce
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

During load testing, a third party service is constantly failing to respond in a timely manner on the Product Listing Page. The page is not affected as it is collecting data with the server side call, however the loading time is increasing. Which two recommendations should the developer take in order to minimize the risk and improve the loading time? Choose 2 answers

- A. Ask the third party to improve the reliability of the service.
- B. Decrease the service timeout.
- C. Enable the Circuit Breaker.
- D. Remove the service.
- E. Load the data asynchronously after the page is loaded

Correct Answer: CE

QUESTION 2

While validating a LINK Cartridge for inclusion into the solution, an Architect notices that the UNK cartridge documentation requires the Architect to add a script node to a Pipeline in the storefront cartridge. The script is also a valid CommonJS module.

Which approach can the Architect use to integrate this cartridge into a site that uses Controllers only?

- A. Copy and paste the script that is required directly into the Controller, add the appropriate arguments, then execute the correct method
- B. Add the script that is required via a require statement in the Controller, add the appropriate arguments, and execute the correct method.
- C. Add the script that is required via a Module, exports statement in the Controller add the appropriate arguments, and execute the correct method.
- D. Add the script that is required via an import script statement in the Controller, add the appropriate arguments, and execute the correct method.

Correct Answer: B

QUESTION 3

A developer wants to import the data of different instances.

Which two types of data should the developer consider importing? Choose 2 answers

- A. Services

- B. Catalog
- C. Customers
- D. Metadata
- E. Sites configurations

Correct Answer: DE

QUESTION 4

The Client wants to have a flash sale on a few products every day. These products are sold through B2C Commerce as well as an in store Point of Sale system that it tied to the same inventory.

An Architect analyzes the following proposed solution:

Inventory feed will continue to run daily but add a web-service call to compare and update B2C Commerce inventory in real time during checkout after a flash product's inventory reaches a threshold.

Which two risks should the Architect communicate to the Client about this solution? Choose 2 answers

- A. The default rate limiter configuration for the web-service could cause the web-service to return an exception during high traffic.
- B. If the external hosted web-service is unreliable. It could be a point of failure in the site's order placement flow.
- C. If the product inventory threshold that triggers the web service calls is reached too often. It will have a negative impact on site performance.
- D. Because the job would still be configured to run daily there will be a degrade in performance during non-flash sales periods

Correct Answer: BC

QUESTION 5

The Client is Crowdfunder and decided to migrate its ecommerce website to B2C Commerce. The Client provided the Architect with the following metrics for its existing website over the past 12 months and forecasted into the next year:

Average visits per hour	500
Peak visits per hour	1000
Average page views per hour	10000
Peak page views per hour	20000
Average orders per hour	100
Peak orders per hour	250
Average items per order	2.1
Average order value	300 USD
Expected growth percentage	300

Noting these historical metrics and the forecasted growth of 300%, which load test targets meet best practices for testing the new B2C Commerce site?

- A. 15000 visits per hour, 300000 page views per hour, and 3750 orders per hour
- B. 150000 visits per hour, 3000000 page views per hour, and 37500 orders per hour
- C. 1500 visits per hour, 30000 page views per hour, and 375 orders per hour
- D. 3000 visits per hour, 60000 page views per hour, and 750 orders per hour

Correct Answer: C

[Latest B2C-COMMERCE-ARCHITECT Dumps](#)

[B2C-COMMERCE-ARCHITECT Practice Test](#)

[B2C-COMMERCE-ARCHITECT Braindumps](#)