

BCCPP^{Q&As}

Blue Coat Certified Proxy Professional

Pass Blue Coat BCCPP Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/bccpp.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by Blue Coat
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

When configuring forwarding in PoxySG, what are the possible load balancing methods? (Choose all that apply)

(a)

Round Robin

(b)

Fastest ICMP Reply

(c)

Least Connections

(d)

Least Delay

A.

a and c only

B.

b and d only

C.

a and d only

D.

b and c only

Correct Answer: A

QUESTION 2

Which one of these statements best describes how policy checkpoints evaluate the installed policy on a ProxySG?

A. The Client In checkpoint decides which rules will be evaluated by the other checkpoints.

B. At each checkpoint, a decision is made whether to allow or deny the transaction.

C. The Server In checkpoint decides which rules will be evaluated by the other checkpoints.

D. Relevant rules are evaluated at each checkpoint based on the information about the transaction that is available at that point.

Correct Answer: B

QUESTION 3

Which one of these statements is NOT true about the ProxySG object cache?

- A. It is stored as a hash table, not a traditional filesystem.
- B. The first chunk of any object can be retrieved in a single disk-read operation.
- C. Objects with similar URLs are usually located next to each other so that accessing related objects in a sequence is faster.
- D. Performance does not deteriorate when the cache is 100% full.

Correct Answer: D

QUESTION 4

Which one of these statements best describes how the ProxySG locates an object in its cache?

- A. The ProxySG performs a hash against the URL of the object and uses the hash as the basis for a lookup into the table of cached objects.
- B. The ProxySG uses the hostname in the object's URL to determine in which cache directory the object is located.
- C. The ProxySG uses the first 32 bytes of the object's URL to determine in which cache directory the object is located.

Correct Answer: A

QUESTION 5

Which of the following are some of the general requirements for using Kerberos Authentication? (Choose all that apply)

- (a)
SGOS 4.2x or higher
- (b)
Internet Explorer 5
- (c)
Transparent Proxy Deployment
- (d)
Windows 2000 and above

A.

a, b and c only

B.

b, c and d only

C.

a, c and d only

D.

All of the above

Correct Answer: C

[Latest BCCPP Dumps](#)

[BCCPP Study Guide](#)

[BCCPP Exam Questions](#)