

BH0-007^{Q&As}

ISEB Intermediate Certificate in Software Testing

Pass ISEB BH0-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/bh0-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ISEB
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

You need to test that the rules have been correctly set up in the configuration table, according to the specification. Which one of the following test design techniques would be most suitable for this?

- A. Data flow testing.
- B. Statement testing.
- C. Decision table testing.
- D. Boundary value analysis.

Correct Answer: C

QUESTION 2

Which of the following is the main purpose of an incident tracking process?

- A. To identify the average number of steps required to recreate each incident.
- B. To calculate the average turnaround times per defect.
- C. To identify the priority of each incident.
- D. To understand the status of each incident at any given time.

Correct Answer: D

Case Study # 3

Scenario

Data is transmitted over the internet as a series of packets. Each packet is sent to its destination via the best available route. The decision on the best available route is made by a series of routers on the internet.

In order to make the best decision on the route to take, the router:

1) Scans the destination address and matches it against rules set up in a configuration table. 2) Checks the performance of the primary connection to see if it is good enough to send the packet. If not,

it seeks an alternative.

Routers handle many millions of packets being sent at the same time. Packets can take the form of email messages, data files etc.

QUESTION 3

Which of the following best describes a testing challenge of the application domain of the routers described?

- A. Testing that the receivers PC can store emails routed to it.
- B. Testing that large organisations can scan incoming files routed to them for viruses.
- C. Testing that packets are delivered by the routers in the required timescales.
- D. Testing that files can be sent in any language.

Correct Answer: C

QUESTION 4

When a software defect in a system has been found and fixed, which of the following activities should be undertaken next?

- a.
Debugging.
 - b.
Confirmation testing.
 - c.
Regression testing.
 - d.
System testing.
 - e.
Static testing.
- A.
a and b.
- B.
b and c.
- C.
c and d.
- D.
c and e.

Correct Answer: B Case Study# 4Scenario

A bank is upgrading its systems to include an on-line investment service, allowing investors to trade with

each other, in a mini-stock market environment.

The upgrade will be carried out using Agile development (within the Scrum framework). Here, the iterations are referred to as Sprints. For each Sprint the required functionality will be defined as a set of user-stories.

The user stories are typically 1-2 lines long, indicating what the business wants the system to do. These user stories will be built then tested.

There will be 3 Sprints:

- 1) Creation of the mini-stock market trading environment.
- 2) Creation of additional front-end enhancements.
- 3) Linking to stock exchange for pricing.

You are the test manager. You lead a team of 4 testers, and there are 6 developers. Your team has worked on Agile projects previously, and on average, Sprints usually last 4 weeks. At the end of all Sprints, a full end to end test is carried out. This is called the E2E test phase. You are worried that 4 weeks will not be sufficient time for the first Sprint. You have decided to conduct a Risk Management exercise before the project starts.

QUESTION 5

Which of the following would be an entry criterion into site acceptance testing for the air quality monitoring system?

- A. That the code written to fulfil the requirement to monitor carbon dioxide levels has been 100% path tested.
- B. That the functional specification accurately reflects requirements R1 and R2.
- C. That the system has been tested at levels of oxygen usage well beyond anticipated personnel levels.
- D. That the requirements for temperature control have been signed-off.

Correct Answer: C

[BH0-007 PDF Dumps](#)

[BH0-007 Study Guide](#)

[BH0-007 Brainsdumps](#)