

BH0-007^{Q&As}

ISEB Intermediate Certificate in Software Testing

Pass ISEB BH0-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/bh0-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by ISEB
Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which of the following is an accurate depiction of the hierarchy of test management documentation (where the highest comes first)?

- A. Test policy-Test strategy-Project test plan-System test plan
- B. Test strategy-Test policy-Project test plan-System test plan
- C. Test policy-Project test plan-Test strategy-System test plan
- D. Project test plan-Test strategy-System test plan-Test policy

Correct Answer: A

QUESTION 2

Which of the following would be applicable as part of a test policy for testing these types of systems?

a.

Systems must be tested for compliance to industry standard routing protocols.

b.

Testing for the latest upgrade will require testing of increased network traffic of 100%.

c.

Testing for the fix will require the use of dynamic analysis tools.

d.

Releases will not be made if systems have any high priority defects outstanding.

A.

a and b.

B.

a and d.

C.

b and c.

D.

b and d.

Correct Answer: B

QUESTION 3

Which of the following would be an entry criterion into site acceptance testing for the air quality monitoring system?

- A. That the code written to fulfil the requirement to monitor carbon dioxide levels has been 100% path tested.
- B. That the functional specification accurately reflects requirements R1 and R2.
- C. That the system has been tested at levels of oxygen usage well beyond anticipated personnel levels.
- D. That the requirements for temperature control have been signed-off.

Correct Answer: C

QUESTION 4

Which of the following are product risks and which are project risks?

a.

The navigation through some parts of the website may need to be different from others.

b.

Sprint 1 may not be completed on time, leading to a delay to the start of Sprint 2.

c.

Text versions of images may not always be possible.

d.

There may be a need to buy a capture-replay tool for regression testing.

e.

A key member of the team may leave before the Sprints have been completed.

A.

a, b and c are product risks, d and e are project risks.

B.

a and c are products risks, b, d and e are project risks.

C.

b, c and e are product risks, a and d are project risks.

D.

a, d and e are product risks, b and c are project risks.

Correct Answer: B

QUESTION 5

Which of the following activities should be carried out at the start of this process?

- A. Marketing of the service to as many people as possible to reduce the risk of poor revenues.
- B. Holding a workshop with as many stakeholders as possible to gain their views on the risks to the product and project.
- C. Meeting with the project manager to agree a bigger budget.
- D. Meeting with the development manager to agree defect fix turn-around times.

Correct Answer: B

[Latest BH0-007 Dumps](#)

[BH0-007 PDF Dumps](#)

[BH0-007 VCE Dumps](#)