

C1000-002^{Q&As}

IBM MQ V9.0 System Administration

Pass IBM C1000-002 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leadspass.com/c1000-002.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The MQ Administrator has enabled Command Events in order to log all successful MQSC commands. What else must be done to also capture the unauthorized MQSC command attempts?

- A. Enable Authority Events
- B. Enable Security Events
- C. Change the Authority Event setting from DISABLED to NODISPLAY
- D. Change the Command Event setting from DISABLED to NODISPLAY

Correct Answer: D

QUESTION 2

An administrator has been given the requirement to enable MQ queue (Q1) in such a way that APP_A can only put a message on the queue Q1 and Application APP_B can only get a message from queue Q1. What is one way an administrator achieves this?

- A. By creating two separate alias queues with required attributes
- B. By controlling access level for queue (Q1) using queue attributes
- C. By defining different policies for both applications(APP_A and APP_B) at QMGR level
- D. By controlling access at SVRCONN channel used by the applications(APP_A and APP_B) to connect to QMGR

Correct Answer: B

QUESTION 3

Queue manager QM1 has a remote queue RMT1 which is a remote definitions of the local queue L1 on queue manager QM2.

How would an administrator define the transmission queue so that messages on RMT1 on QM1 are sent to L1 on QM2?

- A. DEFINE QLOCAL('QM2\\') USAGE(XMITQ)
- B. DEFINE QLOCAL('RMT1\\') USAGE(XMITQ)
- C. DEFINE QREMOTE('L1\\') USAGE(XMITQ)
- D. DEFINE QUALIAS('QM2\\') USAGE(XMITQ)

Correct Answer: C

QUESTION 4

What topic attribute/value pair controls delivery of all non-persistent publications to all subscribers?

- A. NPMSGDLV(ALL)
- B. NPPUDDLV(ALL)
- C. MSGDLV(NPSISTALL)
- D. PUBDLV(NPSISTALL)

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_7.1.0/com.ibm.mq.explorer.doc/e_properties_topics.htm

QUESTION 5

When an MQ queue manager is configured to produce events, what format are the event messages written in?

- A. TXT (Plain Text)
- B. XML (Extended Markup Language)
- C. CSV (Comma Separated Variable)
- D. PCF (Programmable Command Format)

Correct Answer: D

[Latest C1000-002 Dumps](#)

[C1000-002 Exam Questions](#)

[C1000-002 Braindumps](#)