

## C1000-002<sup>Q&As</sup>

IBM MQ V9.0 System Administration

**Pass IBM C1000-002 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c1000-002.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

An administrator executes the following control command: `crtmqm -q -d Q2 QM1`

What is the effect of the above command?

- A. The command creates default queue manager QM1 and specifies Q2 as its default transmission queue.
- B. The command creates default queue manager QM1 and specifies Q2 as its dead letter queue.
- C. The command creates queue manager QM1, queue Q2, and specifies Q2 as its default transmission queue.
- D. The command creates queue manager QM1, queue Q2, and specifies Q2 as its dead letter queue.

Correct Answer: D

---

**QUESTION 2**

Which channel may be configured with a channel auto-definition exit?

- A. Sender Channel
- B. Receiver Channel
- C. Requester Channel
- D. Client-Connection Channel

Correct Answer: A

Reference: [https://www.ibm.com/support/knowledgecenter/en/SSFKSJ\\_9.0.0/com.ibm.mq.con.doc/q017240\\_.htm](https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_9.0.0/com.ibm.mq.con.doc/q017240_.htm)

---

**QUESTION 3**

What setting of the MONQ attribute should be used to stop capturing monitoring data for all queues on the Queue Manager?

- A. OFF
- B. NONE
- C. FALSE
- D. DISABLE

Correct Answer: A

Reference: [https://www.ibm.com/support/knowledgecenter/SS3JRN\\_7.2.1/com.ibm.omegamon.mes\\_dist.doc\\_7.1/kmquserguide710\\_dist.pdf](https://www.ibm.com/support/knowledgecenter/SS3JRN_7.2.1/com.ibm.omegamon.mes_dist.doc_7.1/kmquserguide710_dist.pdf) (87)

## QUESTION 4

In which use case in CONNAUTH the appropriate security control?

- A. To encrypt data in transit
- B. To provide non-repudiation functionality
- C. To authenticate the IP address or DNS name of the remote client
- D. To comply with password complexity, refresh, and lockout policies

Correct Answer: C

---

## QUESTION 5

An existing application periodically announces price changes by putting messages to a queue. To make the price messages available as publications without changing the application, the output queue has been deleted and replaced with a queue alias that has `TARGETTYPE(TOPIC) TARGET('PRICES\')`. Which authorization is required to allow the application to publish using the new alias?

- A. Grant `+put` to the alias only
- B. Grant `+pub` to the alias and `+pub` to the `PRICES` topic object
- C. Grant `+put` to the alias and `+pub` to the `PRICES` topic object
- D. Grant `+put` to the alias and to each of the subscriber queues

Correct Answer: B

[C1000-002 VCE Dumps](#)

[C1000-002 Study Guide](#)

[C1000-002 Exam Questions](#)