

C1000-002^{Q&As}

IBM MQ V9.0 System Administration

Pass IBM C1000-002 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/c1000-002.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Statistics must be gathered for a channel on a distributed platform queue manager which connects to a z/OS queue manager. The channel will be processing a very high message volume and the processing impact to the distributed queue manager must be minimized.

What is the appropriate setting for the STATCHL property of the channel definition?

- A. Low
- B. High
- C. Medium
- D. Low with the QMGR STATCHL property set to NONE

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_7.1.0/com.ibm.mq.explorer.doc/e_properties_qmanager.htm

QUESTION 2

An application connected to QM1 puts messages on QR1, which is a remote definition of a local queue QL2 on queue manager QM2.

The configuration is as follows:

```
crtmqm -q -l -lp 2 -ls 3 QM1
```

```
DEFINE QREMOTE('QR1\\') RQMNAME('QM2\\') RNAME('QL2\\')
```

The channels between QM1 and QM2 are stopped.

Where should the administrator look for the message?

- A. XMITQ on QM1
- B. XMITQ on QM2
- C. Local queue on QM1
- D. Local queue on QM2

Correct Answer: C

QUESTION 3

In which use case in CONNAUTH the appropriate security control?

- A. To encrypt data in transit
- B. To provide non-repudiation functionality
- C. To authenticate the IP address or DNS name of the remote client
- D. To comply with password complexity, refresh, and lockout policies

Correct Answer: C

QUESTION 4

Due to a hardware failure, a queue manager stops. Both the queue manager configuration and log data are lost. The queue manager is unable to restart or to be recovered from the log.

In this situation, what can the administrator do to restore service?

- A. Use media recovery to restore damaged objects.
- B. Use the strmqm -s command to start queue manager in safe mode.
- C. Mount a new file system and move queue files onto new hardware.
- D. Recreate the queue manager and all of its objects from previously saved definitions.

Correct Answer: D

Reference: https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_7.5.0/com.ibm.mq.con.doc/q018660_.htm

QUESTION 5

Which command will enable real-time monitoring of queues, where the monitoring is to be controlled at a queue manager level?

- A. ALTER QMGR MONQ(NONE)
- B. ALTER QMGR MONQ(HIGH)
- C. ALTER QMGR INHIBTEV(ENABLED)
- D. ALTER QMGR STATQ(ON) STATINT(30)

Correct Answer: A

Reference: https://www.ibm.com/support/knowledgecenter/en/SSFKSJ_7.5.0/com.ibm.mq.mon.doc/q037990_.htm

[C1000-002 PDF Dumps](#)

[C1000-002 Practice Test](#)

[C1000-002 Exam Questions](#)