

C1000-004^{Q&As}

IBM Curam SPM V7.X Application Developer

Pass IBM C1000-004 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c1000-004.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which two statements about page parameters are true? (Choose two.)

- A. Any number of PAGE_PARAMETERS can be declared on a page, regardless of whether they are used.
- B. Each parameter that is passed from one page to another must be declared on the accepting page as PAGE_PARAMETER.
- C. The order of the PAGE_PARAMETERS declared on a page must match the order that they are sent from the sending page.
- D. Where a parameter is passed into a PAGE, the corresponding PAGE_PARAMETER must include the calling PAGE_ID.
- E. You can define page parameters in .mnu, and .nav files using the page-param element.

Correct Answer: DE

QUESTION 2

Which two statements about EVX events are true? (Choose two.)

- A. Developers can define custom listeners for out-of-the-box events.
- B. EVX files map events to listeners.
- C. Event handlers and event raisers execute in separate transactions.
- D. Event filters handlers can be defined in the same class.
- E. EVX events implement the Strategy pattern.

Correct Answer: DE

Reference: https://www.ibm.com/support/knowledgecenter/en/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerDeveloper/r_SERDEV_Handlers1EventHandlerRegistration1.html

QUESTION 3

Which two statements about dynamic conditional clusters are true? (Choose two.)

- A. A dynamic cluster will always be displayed when the page initially loads.
- B. The implementation of dynamic conditional clusters uses JavaScript.
- C. Dynamic conditional clusters cannot be nested for performance reasons.
- D. If a cluster is hidden when the data is submitted, default data is sent to the server.
- E. If there are mandatory fields in a hidden cluster, default values are sent to the server when the data is submitted.

Correct Answer: AB

Reference: https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/WebClientReference/r_WEBCREF_Reference1UimDynamicConditionalClusters.html

QUESTION 4

Examine the below message definition. What is the result when the runtime locale is set to fr_CA?

```
<message name="MESSAGE_WHERE">
  <locale country="CA" language="en">Washroom</locale>
  <locale country="GB" language="en">Lavatory</locale>
  <locale language="en">Restroom</locale>
</message>
```

- A. Washroom.
- B. Lavatory.
- C. Restroom.
- D. An error is displayed.

Correct Answer: A

QUESTION 5

Which statement about UIM pages is correct?

- A. A UIM page can appear in more than one component, and the version displayed at runtime depends on which components the user is allowed to access.
- B. A UIM page cannot appear in more than one component.
- C. UIM pages appear in more than one component will be merged.
- D. If a UIM page appears in more than one component, only the page from the highest priority component will be displayed at runtime.

Correct Answer: D

Reference: https://www.ibm.com/support/knowledgecenter/SS8S5A_6.1.0/com.ibm.curam.content.doc/WebClientReference/r_WEBCREF_Reference1Attributes22.html