

## C1000-004<sup>Q&As</sup>

IBM Curam SPM V7.X Application Developer

**Pass IBM C1000-004 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c1000-004.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

The code table file called MyCodetable.ctx is defined in the following components: core, custom, and mycomponent.

core\MyCodeTable.ctx

```
<codetables package="curom.codetable">
  <codetable java_identifier="MYCODETABLE" name="MyCodeTable">
    <code default="true" java_identifier="CODE1" status="ENABLED" value="CV1">
      <locale language="en" sort_order="0">
        <description>Core value 1</description>
      </locale>
    </code>
    <code default="true" java_identifier="CODE2" status="ENABLED" value="CV2">
      <locale language="en" sort_order="0">
        <description>Core value 2</description>
      </locale>
    </code>
  </codetable>
</codetables>
```

custom\MyCodeTable.ctx

```
</codetables package="curom.codetable">
  <codetable java_identifier="MYCODETABLE" name="MyCodeTable">
    <code default="true" java_identifier="CODE1" status="ENABLED" value="CV1">
      <locale language="en" sort_order="0">
        <description>Custom value 1</description>
      </locale>
    </codetable>
</codetables>
```

mycomponent\MyCodeTable.ctx

```
</codetables package="curom.codetable">
  <codetable java_identifier="MYCODETABLE" name="MyCodeTable">
    <code default="true" java_identifier="CODE1" status="ENABLED" value="CV1">
      <locale language="en" sort_order="0">
        <description>Mycomponent value 1</description>
      </locale>
    </codetable>
</codetables>
```

The SERVER\_COMPONENT\_ORDER variable is set as SERVER\_COMPONENT\_ORDER=custom,mycomponent.

Which will be the set of code\value pairs for MyCodetable?

- A. CV1 - Mycomponent Value 1 CV2 - Core Value 2
- B. CV1 - Custom value 1 CV2 - Core value 2
- C. CV1 - Mycomponent Value 1
- D. CV1 - Custom value 1

Correct Answer: C

---

## QUESTION 2

You get the following error message while adding custom functionality:

### Error!



The page you have requested is not available. One possible cause is that you are not licensed for the necessary Cúram module. If that is the case, you can use the User Interface administration screens to remove these links.

What is the most likely cause of the error?

- A. An artifact links to a page that does not exist.
- B. The security for the UIM page is not defined.
- C. A Page parameter is incorrectly specified.
- D. A Server Interface has the wrong PHASE.

Correct Answer: C

Reference: <https://www-01.ibm.com/support/docview.wss?uid=swg1PO01739>

---

## QUESTION 3

Which two statements about page parameters are true? (Choose two.)

- A. Any number of PAGE\_PARAMETERS can be declared on a page, regardless of whether they are used.
- B. Each parameter that is passed from one page to another must be declared on the accepting page as PAGE\_PARAMETER.
- C. The order of the PAGE\_PARAMETERS declared on a page must match the order that they are sent from the sending page.
- D. Where a parameter is passed into a PAGE, the corresponding PAGE\_PARAMETER must include the calling PAGE\_ID.

E. You can define page parameters in .mnu, and .nav files using the page-param element.

Correct Answer: DE

#### QUESTION 4

You want to make a field on a page mandatory.

Which task is valid?


- A. Configure the Allow\_Nulls property of the entity's attribute to be set to false.
- B. Configure the Require\_Mandatory property of the entity's attribute to be set to true.
- C. Specify the name of the field in the Mandatory\_Fields property of the modeled operation's argument struct.
- D. Write a custom Java function to check for a value being present and specify the function on the Custom\_Validation\_Function\_Name property of the relevant domain definition.

Correct Answer: C

Reference: [https://www.ibm.com/support/knowledgecenter/SS8S5A\\_7.0.9/com.ibm.curam.content.doc/ServerModelling/ctr\\_CuramServerModellingGuide.html](https://www.ibm.com/support/knowledgecenter/SS8S5A_7.0.9/com.ibm.curam.content.doc/ServerModelling/ctr_CuramServerModellingGuide.html)

#### QUESTION 5

You want to model attribute2 as a code table in the following entity.



Which two steps are required? (Choose two.)

- A. Set the domain definition for attribute2 to CODETABLE\_CODE.
- B. Set the Type for SAMPLE\_DOMAIN2 to CODETABLE\_CODE.
- C. Define the code table name as a property of attribute2.
- D. Define the code table name as a property of SAMPLE\_DOMAIN2.
- E. Define the code table name as a property of CODETABLE\_CODE.

Correct Answer: BC

[Latest C1000-004 Dumps](#)

[C1000-004 PDF Dumps](#)

[C1000-004 VCE Dumps](#)