

C1000-007^{Q&As}

IBM Cloud Application Development v3

Pass IBM C1000-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c1000-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which statement is true when selecting a microservices runtime platform?

- A. A DevOps capability is not necessary, as microservices are inherently independent and loosely coupled
- B. Infrastructure as a Service (IaaS) platforms abstract and remove operating system dependencies.
- C. A microservices oriented Platform as a Service (PaaS) enforces that all microservices are scaled together.
- D. An ideal Platform as a Service (PaaS) provides the necessary capabilities and building blocks to associate metadata, policies, and correlate inter-service calls.

Correct Answer: A

QUESTION 2

Which two resources can IBM Cloud Availability Monitoring service monitor?

- A. REST API
- B. Website URL
- C. Memory usages
- D. CPU utilization
- E. Disk utilization

Correct Answer: AB

QUESTION 3

Which two languages are available with the IBM Cloud Object Storage SDK?

- A. Go a
- B. Perl
- C. Java
- D. Node.js
- E. .NET Core

Correct Answer: AD

QUESTION 4

What two files are required in a Helm chart directory?

- A. README.md
- B. info.yaml
- C. NOTES.txt a
- D. values.yaml
- E. Chart.yaml

Correct Answer: AC

QUESTION 5

A Node.js application needs to be deployed first on a staging environment to be tested before it is deployed to production environment . Using the Delivery Pipeline, two Deploy stages were created, one called "DeployToStag" targeting staging environment and the other called "DeployToProd" targeting production environment.

On running the DeployToStag stage it ran successfully while on running the DeployToProd stage it failed

with the following error:

"The route myapp.mybluemix.net is already in use"

Which command in the Deploy script for the DeployToProd stage can fix the error?

A. Option

```
cf push "${CF_APP}"
```

B. Option

```
cf push "${CF_APP}" --no-manifest
```

C. Option

```
cf push "${CF_APP}" -h my-prod-app
```

D. Option

```
cf push "${CF_APP}" --random-route
```

- A. Option A
- B. Option B
- C. Option C

D. Option D

Correct Answer: D

[Latest C1000-007 Dumps](#)

[C1000-007 Practice Test](#)

[C1000-007 Study Guide](#)