

C1000-007^{Q&As}

IBM Cloud Application Development v3

Pass IBM C1000-007 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c1000-007.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What is the goal of continuous release and deployment?

- A. To constantly develop new features
- B. To keep test and production environment in sync
- C. To release new features to customers and users as soon as possible
- D. For developers to regularly integrate their work with that of the rest of the developers on their team

Correct Answer: D

QUESTION 2

What is used to allow granular access control at the bucket level in IBM Cloud Object Storage within an application in IBM Cloud?

- A. App ID
- B. Federated SSO
- C. Platform API Keys
- D. Identity and Access Management

Correct Answer: C

QUESTION 3

Which statement defines horizontal scaling in IBM Cloud?

- A. It requires application downtime.
- B. It is referred to as scaling in/out of an application.
- C. It is referred to as scaling up/down of an application.
- D. It can be done by increasing/decreasing the memory or number of CPU cores of an application.

Correct Answer: C

QUESTION 4

What development pattern delegates the creation of a component to access business data to the team developing the user interface for a specific application channel, such as mobile or web?

- A. Circuit Breaker

B. Omnichannel Code

C. Business Data Feed

D. Backend for Frontend

Correct Answer: D

QUESTION 5

Using Hyperledger Composer, which block of code correctly emits an event from a business network?

A. Option

```
async function basicEventTransaction(basicEventTransaction)
  let factory = getFactory();
  let basicEvent = factory.newEvent('org.namespace', 'Bas
  emit(basicEvent);
}
```

B. Option

```
/**
 * @event {org.namespace.BasicEventTransaction} basicEventTr
 */
async function basicEventTransaction(basicEventTransaction)
  let factory = getFactory();
  let basicEvent = factory.newEvent('org.namespace', 'Bas
  emit(basicEvent);
}
```

C. Option

```
/**
 * @param {org.namespace.BasicEventTransaction} basicEventTr
 * @event
 */
async function basicEventTransaction(basicEventTransaction)
  let factory = getFactory();
  let basicEvent = factory.newEvent('org.namespace', 'Bas
  emit(basicEvent);
}
```

D. Option

```
/**
 * @param {org.namespace.BasicEventTransaction} basicEventTr
 * @transaction
 */
async function basicEventTransaction(basicEventTransaction)
  let factory = getFactory();
  let basicEvent = factory.newEvent('org.namespace', 'Bas
  emit(basicEvent);
}
```

A. Option A

B. Option B

C. Option C

D. Option D

Correct Answer: D

[Latest C1000-007 Dumps](#)

[C1000-007 Study Guide](#)

[C1000-007 Exam Questions](#)