

## C1000-031<sup>Q&As</sup>

IBM Power Systems Scale-Up Technical Sales

### Pass IBM C1000-031 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c1000-031.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

What is the maximum memory capacity of a Power System E980?

- A. 32TB
- B. 64TB
- C. 128TB
- D. 192TB

Correct Answer: B

---

**QUESTION 2**

A customer is comparing a Power Systems solution with an x86 solution for big data analytics.

Which no-charge IBM analysis is available to justify the value of IBM Power Servers compared to x86 solutions?

- A. IT Economics Study (Eagle Study)
- B. Performance Navigator
- C. System Planning Tool
- D. Workload Estimator

Correct Answer: D

The IBM Systems Workload Estimator is a web-based sizing tool for IBM Power Systems, System i, System p, System x, IBM Flex Systems, and IBM PureFlex Systems. You can use this tool to size a new system, to size an upgrade to an existing system, or to size a consolidation of several systems. The Workload Estimator (WLE) allows measurement input to best reflect your current workload and provides a variety of built-in workloads to reflect your emerging application requirements. Virtualization can be used to yield a more robust solution. The Workload Estimator will provide current and growth recommendations for processor, memory, and disk that satisfy the overall client performance requirements

Reference: [https://www.ibm.com/developerworks/community/blogs/systemsupport/entry/ibm\\_systems\\_workload\\_estimator\\_and\\_energy\\_estimator2?lang=en](https://www.ibm.com/developerworks/community/blogs/systemsupport/entry/ibm_systems_workload_estimator_and_energy_estimator2?lang=en)

---

**QUESTION 3**

Which of the following RAS features is always enabled and functional on a Power System E950 / E980, regardless of configuration?

- A. Dynamic Memory Sparing
- B. Processor Instruction Retry

C. Dynamic Processor Sparing

D. System auto-restart

Correct Answer: B

---

#### QUESTION 4

Which IBM product is used to create, deploy, and manage virtual machines?

A. PowerSC

B. PowerVC

C. PowerHA Enterprise Edition

D. PowerVM Enterprise Edition

Correct Answer: B

---

#### QUESTION 5

An IBM Business Partner is installing two systems in two locations for a Disaster Recovery (DR) solution.

Which of the following is the most efficient way to set up production systems for DR of the LPARs operating system disks?

A. Boot OS from internal disks using NPIV.

B. Boot VIOS from SAN and LPAR OS boot from internal disks using NPIV.

C. Boot LPAR OS from internal disks using vSCSI.

D. Boot LPARs from SAN using NPIV.

Correct Answer: B

[C1000-031 PDF Dumps](#)

[C1000-031 VCE Dumps](#)

[C1000-031 Study Guide](#)