

C1000-038^{Q&As}

IBM z14 Technical Sales

Pass IBM C1000-038 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/c1000-038.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

A customer wants to replace two zEC12 processors in different locations with two z14 processors. The customer has the following requirements:

Full redundancy within a z14 and in case of loss of one CPC.

Run 12 z/OS LPARs on each CPC.

Encryption requirements:

Some applications need SSL acceleration.

EP11 must be supported.

Pervasive Encryption must be supported.

Which of the following is the minimum hardware needed for each z14 to support the requirements?

- A. 4 zHyperlink Express Ports, 8 Crypto Express 6S Features, CPACF enabled.
- B. 4 Crypto Express 6S Features, CPACF enabled.
- C. 2 TKEs, 6 Crypto Express 6S Features, CPACF enabled.
- D. 8 Crypto Express 6S Features, CPACF enabled.

Correct Answer: C

QUESTION 2

Which of the following is used to consolidate host channels on an IBM z14?

- A. CFSIZER tool
- B. FICON Aggregation analysis
- C. Fit for Purpose study
- D. zBNA tool

Correct Answer: D

QUESTION 3

Why are IBM Db2 z/OS customers uniquely positioned to take advantage of hybrid transactional and analytical processing (HTAP)?

- A. They can leverage high-value, sensitive data in a security-rich environment with the IBM Db2 Analytics Accelerator.

- B. They can use IBM Open Data Analytics for z/OS to securely combine data and insight from sources other than IBM Z.
- C. They can easily scale with Db2 for z/OS Machine Learning.
- D. They can use IBM Query Management Facility (QMF) to reliably optimize IBM Z data sources.

Correct Answer: A

Reference: https://www-01.ibm.com/common/ssi/ShowDoc.wss?docURL=/common/ssi/rep_ca/8/897/ENUS219-248/index.html&request_locale=en (overview)

QUESTION 4

A customer is interested in IBM LinuxONE as a platform for their new cloud-based application infrastructure. A sizing exercise has shown that one LinuxONE Emperor II machine (in LM2 configuration) is sufficient for their expected workload, but the customer is concerned about putting all the application workload on a single frame.

Which set of LinuxONE features can the technical specialist remind the customer about, to help to relieve their concern?

- A. RAIM memory, Capacity on Demand, SIMD
- B. Processor sparing, I/O redundancy, RAIM memory
- C. Processor sparing, SIMD, CPACF
- D. CPACF, I/O redundancy, Capacity on Demand

Correct Answer: D

QUESTION 5

How was zBNA improved to support the latest driver level for the z14 server (GA2 in October 2018)?

- A. z/OS Coupling Facility Structure Encryption support
- B. PCIe Express Gen3 Coupling Express Long Reach support
- C. zHyperLink write support
- D. FICON Channel Aggregation

Correct Answer: A

[Latest C1000-038 Dumps](#)

[C1000-038 Exam Questions](#)

[C1000-038 Brindumps](#)