

C1000-091^{Q&As}

IBM Cloud Pak for Automation v19.0.3 Administration

Pass IBM C1000-091 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c1000-091.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

Which IBM Cloud Pak for Automation component needs post-deployment configuration to allow users to access Kibana dashboards?

- A. IBM Automation Digital Worker
- B. IBM FileNet Content Manager
- C. IBM Business Automation Content Analyzer
- D. IBM Business Automation Insights

Correct Answer: A

<https://www-01.ibm.com/common/ssi/cgi-bin/ssialias?infotype=AN&subtype=CA&htmlfid=897/ENUS219-477&appname=USN>

QUESTION 2

In an OCP cluster, which command should be used to verify that the nodes are healthy?

- A. oc get nodes
- B. oc status
- C. oc get pods
- D. oc get node-status

Correct Answer: C

QUESTION 3

When configuring the plug-in for external share in Business Automation Navigation in a container environment, what should be used in the JAR file path field?

- A. An environment variable specifying the location of the sharePlugin JAR
- B. A relative local directory path to the sharePlugin JAR
- C. An absolute local directory path to the sharePlugin JAR
- D. A URL that points to the sharePlugin JAR

Correct Answer: A

QUESTION 4

Which two statements are true about User Management Services (UMS)?

- A. Provides an authentication scheme that is based on the open standards OpenID Connect and OAuth 2.0
- B. Provides an authentication scheme that is based on SAML
- C. Provides a common registry for components to store information
- D. Provides a common login page for some of the IBM Cloud Pak for Automation components
- E. Provides a common login page for all of the IBM Cloud Pak for Automation components

Correct Answer: BE

QUESTION 5

Which is the correct configuration in the dc_ums-datasource section for two failover DB servers of the User Management Service?

```
• server1.db2.company.com on port 50443
• server2.db2.company.com on port 51443
```

```
A. dc_ums_oauth_alternate_hosts: "server1.db2.company.com,
server2.db2.company.com"
dc_ums_oauth_alternate_ports: "50443, 51443"

B. dc_ums_oauth_alternate_1: "server2.db2.company.com:50443"
dc_ums_oauth_alternate_2: "server2.db2.company.com:51443"

C. dc_ums_oauth_alternate_hosts: "server1.db2.company.com:50443,
server2.db2.company.com:51443"

D. dc_ums_oauth_alternate_host_1: "server2.db2.company.com:50443"
dc_ums_oauth_alternate_host_2: "server2.db2.company.com:51443"
```

- A. Option A
- B. Option B
- C. Option C
- D. Option D

Correct Answer: D

[C1000-091 PDF Dumps](#)

[C1000-091 VCE Dumps](#)

[C1000-091 Exam Questions](#)