

C2040-926^{Q&As}

Managing and Maintaining IBM Lotus Notes and Domino 8.5
Environments

Pass IBM C2040-926 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2040-926.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official
Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

In Domino 8.5, when the router is running in a steady state and a new message is deposited in MAIL.BOX, a copy of the message is made and placed on a mailbox event queue which is then used by a new MailEvent thread in the router. Which of the following is this feature?

- A. Mailbox copy services
- B. Router threaded delivery
- C. Mailbox event notification
- D. Mail queue delivery scheduler

Correct Answer: C

QUESTION 2

In order to remove an IDvault from a Domino server, you must be a vault administrator, have Editor access to the Domino Directory and which of the following?

- A. Have access to the vault ID file and password
- B. Have Manager rights to the Administration Process database
- C. Have the ability to delete user policy documents from the Domino Directory
- D. Have physical access to the operating system to complete the removal process

Correct Answer: A

QUESTION 3

The Domino server running Lotus Traveler must have which of the following access rights to the user mailfiles it will be serving to mobile devices?

- A. Author with delete rights
- B. Editor with delete rights
- C. Designer with delete rights
- D. Manager with all rights

Correct Answer: D

QUESTION 4

Lotus Notes Traveler server maintains a database with information pertaining to the cluster replicas of the mail files

which are being synchronized with a Lotus Notes Traveler client. The file name of this database is which of the following?

- A. travclDir.nsf
- B. mduserDir.nsf
- C. ntsclcache.nsf
- D. Intravcache.ndk

Correct Answer: C

QUESTION 5

In order to specify connecting hosts to be excluded from blacklist checks, which filter should be utilized?

- A. Public spam lists
- B. Private blacklists
- C. Private whitelists
- D. Public allow lists

Correct Answer: C

[C2040-926 VCE Dumps](#)

[C2040-926 Practice Test](#)

[C2040-926 Exam Questions](#)