

C2040-986^{Q&As}

Creating IBM Lotus Notes and Domino 8.5 Applications with Xpages and Advanced Techniques

Pass IBM C2040-986 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2040-986.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- ⚙️ **Instant Download** After Purchase
- ⚙️ **100% Money Back** Guarantee
- ⚙️ **365 Days** Free Update
- ⚙️ **800,000+** Satisfied Customers



QUESTION 1

Which @Command can be used in an XPage?

- A. @Command([ToolsRunMacro];agent)
- B. @Command([EditDocument])
- C. @Command([EditProfile];formname;uniquekey)
- D. @Commands are not available for use in an XPage.

Correct Answer: D

QUESTION 2

Which option best describes the benefits of being Ajax-enabled?

- A. You do not need to use agents to interact with the server dynamically.
- B. Content and code can be loaded when required, rather than when the page is initially displayed.
- C. Ajax functionality can be implemented with much less coding than a traditional Lotus Domino web application.
- D. All of the above.

Correct Answer: D

QUESTION 3

Qiang needs to add a button to the Contact XPage. When clicked, this button should delete the currently open document from the application. What is one way that Qiang can add this button?

- A. Drag the Data control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. On the Operations tab, select Current document and Delete.
- B. Drag the Data control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. In the Options area of the properties, select Delete for the Action, and select Domino Document for the Target.
- C. Drag a Button control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. On the events panel, select the Mouse onclick event, and add a server-side simple action. Select Delete for the action.
- D. Drag a Button control from the core controls onto the XPage canvas. From the Control properties, set the Label to Delete. On the events panel, select the Mouse onclick event, and add a client-side simple action. Select Delete for the action.

Correct Answer: C

QUESTION 4

Gustav has added a View control to his XPage. He needs to allow users to delete documents from the view. How can he do this task?

- A. Add a button with a simple action defined to Delete Selected Documents.
- B. Enable the Column Display property check box and the View property Allow Deletion.
- C. Enable the Column Display property check box and add a button with a simple action defined to Delete Selected Documents.
- D. Enable the Column Display property check box, and add a button with server-side JavaScript in the button's onclick event that uses the @Function script library to execute @Command [(DeleteDocument)].

Correct Answer: C

QUESTION 5

Mary is posting a discussion database on the Web. She would like to give general users Author access to the database, as long as they identify themselves and have registered with her site. Which one of the following should Mary do to ensure that all users accessing her database are identified and have Author access?

- A. Create an Authors field on her forms and set it to Anonymous.
- B. Set the database ACL Default entry to No Access and set the Anonymous to Author.
- C. Set the database ACL Default entry to Author and set the Anonymous to No Access.
- D. Set the form security property, "Who can create documents with this form", to only allow users in the Author role.

Correct Answer: C

[C2040-986 PDF Dumps](#)

[C2040-986 VCE Dumps](#)

[C2040-986 Practice Test](#)