

## C2070-991<sup>Q&As</sup>

IBM FileNet P8 V5.2.1, Deployment Professional

### Pass IBM C2070-991 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2070-991.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



## QUESTION 1

Which of the following is true about IBM FileNet P8 Content Platform Engine V5.2.1 support for IBM Content Navigator (ICN)?

- A. It supports ICN-2.0.x.
- B. It supports ICN-2.0.2 only.
- C. It supports ICN-2.0.1 only.
- D. It supports ICN-2.0.3 only.

Correct Answer: C

---

## QUESTION 2

A large government agency has just implemented SSL on one their IBM FileNet Content Manger V5.2.1 systems.

What type of encryption is used when generating a shared secret key?

- A. In-place
- B. Hashing
- C. Symmetric
- D. Asymmetric

Correct Answer: C

---

## QUESTION 3

A business partner is preparing to deploy multiple IBM FileNet Content Platform Engine (CPE) instances on the same system by using the Configuration Manager command line.

What xml file would the business partner need to generate and which command would the business partner use to run the xml file to deploy the CPE application on the web server?

- A. deployapplication.xml; configmgr\_cl run –task DeployApplication –profile myprofile
- B. deployapplication.xml; configmgr\_cl execute –task DeployApplication –profile myprofile
- C. deploymentapplication.xml; configmgr\_cl deploy –task DeployApplication –profile myprofile
- D. deploymentapplication.xml; configmgr\_cl exe –task DeploymentApplication –profile myprofile

Correct Answer: C

---

## QUESTION 4

A P8 Administrator has been tasked with enabling verbose garbage collection (GC) for the IBM WebSphere Application Server (WAS).

How is verbose GC enabled and what log file contains the data?

- A. Verbose GC can be enabled via the WAS Admin Console. The verbose GC data will default to the SystemOut.log file for AIX, Microsoft Windows, and Linux operating systems.
- B. Verbose GC can be enabled via the WAS Admin Console. The verbose GC data will default to the native\_stderr.log file for AIX, Microsoft Windows, and Linux operating systems.
- C. Verbose GC can be enabled via the WAS Admin Console. The verbose GC data will default to the SystemOut.log file for AIX, Microsoft Windows, Solaris, and Linux operating systems.
- D. Verbose GC can be enabled as a command-line parameter only. The verbose GC data will default to the native\_stderr.log file for AIX, Microsoft Windows, and Linux operating systems.

Correct Answer: C

---

## QUESTION 5

An administrator is setting up a new Fixed Content Device to an Image Services (IS) server for FCS-IS.

During the setup and testing of the configuration, an extract of the error seen is:

```
SSI FNRCE0000E - ERROR
```

```
IS_SSI_8502: SSI_Base: g_logon error: called sec.logon() err=
```

Based on these messages, what would be the best next step for the administrator to troubleshoot this message?

- A. On the IS server run fn\_msg with the error tuple.
- B. Ping the IS server from the FCM server to verify network connectivity.
- C. Check the user name defined in the IS datasource in the WebSphere Application Server.
- D. On the IS server run INX\_tool>ce\_info and verify that the FCM Domain and Object Store are listed.

Correct Answer: D