

C2090-011^{Q&As}

IBM SPSS Statistics Level 1 v2

Pass IBM C2090-011 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-011.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The IBM SPSS Statistics Select Cases provides various ways to select cases included in further analysis. If you needed to conduct analysis on those respondents whose age is more than 30 years, earning in excess of \$40000, which option in this dialog would you choose to specify these criteria?

- A. Random sample of cases
- B. Based on time or case range
- C. Use filter variable
- D. If condition is satisfied

Correct Answer: D

QUESTION 2

Consider the table below. Which IBM SPSS Statistics dialog was used to generate it?

HIGHEST YEAR OF SCHOOL COMPLETED

GENDER OF RESPONDENT	Mean	N	Std. Deviation
Female	13.60	1531	2.778
Male	13.82	1279	3.013
Total	13.70	2810	2.889

- A. The Crosstabs... dialog
- B. The Means... dialog
- C. The Case Summaries..., dialog
- D. The Select Cases... dialog

Correct Answer: B

QUESTION 3

Suppose you want to get help on the Cumulative Percent column in a FREQUENCIES table. Using the figure below, how would you do it?

HAPPINESS OF MARRIAGE

		Frequency	Percent	Valid Percent	Cumulative Percent
Valid	VERY HAPPY	528	32.9	61.9	61.9
	PRETTY HAPPY	300	18.7	35.2	97.1
	NOT TOO HAPPY	25	1.6	2.9	100.0
	Total	853	53.1	100.0	
Missing	REFUSED TO ANSWER	8	.5		
	System	744	46.4		
	Total	752	46.9		
Total		1605	100.0		

- A. Go to Help ... Topics and search for Cumulative Percent.
- B. Go to Help ... Command Syntax Reference and search for Cumulative Percent.
- C. Go to Help ... About.
- D. Double-click the table, right-click Cumulative Percent and select What's this? from the pop-up menu.

Correct Answer: D

QUESTION 4

IBM SPSS Statistics system variables can be:

- A. Used in data transformations.
- B. Specified in analysis procedures.
- C. Modified using Compute Variable.
- D. Viewed in the Data Editor.

Correct Answer: A

QUESTION 5

If you build an expression manually, as opposed to using a function (e.g., specify $(V1+V2)/2$ instead of $MEAN(V1, V2)$), which statement is true?

- A. If any of the variables used in the expression has a missing value, it will be ignored and the expression will proceed to evaluate with variables that have valid values.
- B. It will always return a valid value for each case, regardless of whether one or more of the source variable values are missing.
- C. If any of the variables used in the expression has a missing value, the result for that case is a system-missing value.

D. If any of the variables used in the expression has a missing value, you will get a notification pointing this out before you proceed.

Correct Answer: C

[C2090-011 VCE Dumps](#)

[C2090-011 Practice Test](#)

[C2090-011 Exam Questions](#)