

C2090-011^{Q&As}

IBM SPSS Statistics Level 1 v2

Pass IBM C2090-011 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-011.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1


Which of following variable name is correctly formed for use in an IBM SPSS Statistics data file?

- A. 3job_categories
- B. Employee safety
- C. Respondents\` age
- D. job_3_categories

Correct Answer: B

QUESTION 2

Which statement is true about this box plot?



- A. The mean is 14.
- B. The standard deviation is 14 (20 minus 6).
- C. The standard deviation is 4 (16 minus 12).
- D. of the outliers are on the lower end of the distribution.

Correct Answer: D

QUESTION 3

Which feature would you use to create a new variable whose values represent the number of times that each respondent answered Strongly Agree to a series of satisfaction questions?

- A. Compute Variable
- B. Visual Binning
- C. Count Values within Cases
- D. Rank Cases

Correct Answer: C

QUESTION 4

If you request an aggregated dataset or data file in the Aggregate procedure, the number of cases in the new aggregated file is equal to what?

- A. Number of cases in the original data file
- B. Number of aggregated summary variables
- C. Number of categories of the variables specified in the Break Variables list
- D. Number of cases that you specified in the Aggregate Data dialog box

Correct Answer: C

QUESTION 5

An Independent Samples T-Test can be used to test whether there is a significant difference between the incomes of males and females.

- A. True
- B. False

Correct Answer: A

[C2090-011 PDF Dumps](#)

[C2090-011 VCE Dumps](#)

[C2090-011 Practice Test](#)