

## C2090-317<sup>Q&As</sup>

DB2 11 System Administrator for z/OS

**Pass IBM C2090-317 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-317.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which command can be used to adjust the system checkpoint frequency?

- A. -SET LOG
- B. -SET ARCHIVE
- C. -ARCHIVE LOG
- D. -RECOVER BSDS

Correct Answer: A

---

**QUESTION 2**

One of your applications is experiencing long elapsed times. You notice from DB2 accounting data that 90% of the class 2 elapsed time consists of class 3 suspension time.

Which statement describes the behavior of the application?

- A. The application is the victim of excessive performance tracing.
- B. The application spends the majority of its time waiting on the network.
- C. The application contains complex SQL statements that are CPU intensive.
- D. The application spends the majority of its time waiting for buffer pool I/O and log I/O.

Correct Answer: C

---

**QUESTION 3**

Which trace can be helpful in determining the resources involved with locking (i.e. deadlocks, timeouts) at a subsystem level?

- A. Statistics trace class 1
- B. Statistics trace class 3
- C. Accounting trace class 1
- D. Accounting trace class 3

Correct Answer: B

---

**QUESTION 4**

You execute the following SQL against the CDB (Communications Database) of your DB2 subsystem:

```
INSERT INTO SYSIBM.IPNAMES
```

```
(UNKNAME.SECURITY_OUT.USERNAMES,IBMREQD.IPADDR) VALUES (\\'REMOTEDB\\'. \\'P\\' \\'O\\'. \\'N\\',  
*123.34.45.56\\');
```

```
INSERT INTO SYSIBM.IPLIST (LINKNAMEJPADDRJBMREQD) VALUES (\\'REMOTEDB\\', \\'123.34.45.56\\',  
*N\\');
```

```
INSERT INTO SYSIBM.IPLIST (LINKNAMEJPADDRJBMREQD) VALUES C REMOTEDB\\', \\'123.34.45.57\\',  
\\'N\\');
```

```
INSERT INTO SYSIBM.USERNAMES
```

```
(TYPE,AUTHID.LINKNAME,NEWAUTHID.PASSWORD,IBMREQD) VALUES (T, \\'USER1\\'.
```

```
\\'USER2\\' ", ,PWD2,1 *N\\');
```

```
INSERT INTO SYSIBM.USERNAMES
```

```
(TYPE,AUTHID.LINKNAME,NEWAUTHID.PASSWORDJBMREQD) VALUES (\\'O\\', \\'USER1\\'. \\'USER3\\', *\\',
```

```
\\'PWD3\\', \\'N\\');
```

There is no trusted connection to REMOTEDB. USER1 issues a query addressing remote data source REMOTEDB on your DB2 subsystem.

Which authorization id will be used on the remote data source REMOTEDB?

- A. USER1
- B. USER2
- C. USER3
- D. USER4

Correct Answer: A

---

#### QUESTION 5

In a data-sharing environment, what is the first step to prepare for a DB2 RESTORE SYSTEM to a point in time?

- A. Stop all DB2 members.
- B. Stop one DB2 member.
- C. Do not stop any DB2 members.
- D. Stop only the member where RESTORE SYSTEM will run.

Correct Answer: D

---

[C2090-317 Practice Test](#)

[C2090-317 Study Guide](#)

[C2090-317 Exam Questions](#)