

## C2090-545<sup>Q&As</sup>

DB2 9.7 SQL Procedure Developer

**Pass IBM C2090-545 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.lead4pass.com/c2090-545.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Assuming EMP\_ROW and NEW\_HIRE have the same user-defined row data type, what is the best way to assign the elements of NEW\_HIRE to EMP\_ROW?

- A. emp\_row.rowid = new\_hire.rowid;
- B. emp\_row.all = new\_hire.all;
- C. SET emp\_row = new\_hire;
- D. SET emp\_row.\* = new\_hire.\*;

Correct Answer: C

---

**QUESTION 2**

Which of the following can be done while debugging a SQL procedure with IBM Data Studio?

- A. Change the order of statements being executed.
- B. Edit the procedure and continue.
- C. Change the value of any variables used.
- D. Re-execute the current statement.

Correct Answer: C

---

**QUESTION 3**

Given the SQL statement shown below:

```
CREATE TRIGGER hr.raise_limit
  AFTER UPDATE OF salary ON employee
  REFERENCING NEW AS n OLD AS o
  FOR EACH ROW
  WHEN (n.salary > 1.1 * o.salary)
  SIGNAL SQLSTATE '75000' SET MESSAGE_TEXT='Salary increase > 10%'
```

Which privilege allows a user to execute the CREATE TRIGGER statement shown?

- A. SYSCTRL authority
- B. SELECT and UPDATE privilege on the EMPLOYEE table

C. SYSMAINTauthority

D. SELECT and ALTER privilege on the EMPLOYEE table

Correct Answer: B

---

#### QUESTION 4

In the stored procedure below:

```
CREATE PROCEDURE proc_labels (IN start_value INT, OUT p_ID INT)
s1: BEGIN
  DECLARE v_ID INT;
  s2: BEGIN
    DECLARE v_ID INT;
    SET v_ID = start_value;
    SET s1.v_ID = v_ID + s2.v_ID;
    SET v_ID = 3;
    SET p_ID = s2.v_ID;
  END;
END s1
```

What will the value of the P\_ID parameter be if the procedure is invoked and a value of 2 is specified for the START\_VALUE parameter?

A. 1

B. 2

C. 3

D. 4

Correct Answer: C

---

#### QUESTION 5

Which command can be used to convert literals in SQL statements to parameter markers to avoid compilation of similar SQL statements?

A. UPDATE DB CFG USING STMT\_CONC ON

B. UPDATE DB CFG USING LIT\_PARM ON

C. UPDATE DB CFG USING CURSOR\_SHARING FORCED

D. UPDATE DB CFG USING CURSOR\_SHARING ON

Correct Answer: A

[C2090-545 Practice Test](#)

[C2090-545 Study Guide](#)

[C2090-545 Braindumps](#)