

## C2090-600<sup>Q&As</sup>

IBM DB2 11.1 DBA for LUW

**Pass IBM C2090-600 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-600.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which ALTER TABLE statements will put a table named TAB1 in "reorg-pending" state? (Choose two.)

- A. ALTER TABLE tab1 APPEND ON
- B. ALTER TABLE tab1 DROP COLUMN col1
- C. ALTER TABLE tab1 ALTER COLUMN col1 SET NOT NULL
- D. ALTER TABLE tab1 DETACH PARTITION part1 INTO tab\_part1
- E. ALTER TABLE tab1 ADD CONSTRAINT pk\_tab1 PRIMARY KEY (col1)

Correct Answer: BC

---

**QUESTION 2**

What is the result of the following scenario?

```
CREATE TABLE ten_pct (  
  key INT NOT NULL,  
  amt DECIMAL(10,0) NOT NULL);  
  
CREATE OR REPLACE TRIGGER ten_pct_upd BEFORE UPDATE ON ten_pct  
REFERENCING  
  OLD AS old_row  
  NEW AS in_row  
FOR EACH ROW  
WHEN (in_row.amt IS NULL)  
  SET in_row.amt = old_row.amt * 1.10;  
  
INSERT INTO ten_pct VALUES (2, 100.0);  
  
UPDATE ten_pct SET amt = NULL  
  WHERE key = 2;
```

- A. The row is updated to (2, NULL)
- B. The row is updated to (2, 110.00)
- C. SQL0407N Assignment of a NULL value to a NOT NULL column is not allowed
- D. The CREATE TRIGGER statement will fail because amt is defined as NOT NULL

Correct Answer: B

---

**QUESTION 3**

Which of the following are all valid types of trigger?

- A. AFTER, ATOMIC, BEFORE
- B. AFTER, ATOMIC, INSTEAD OF
- C. AFTER, BEFORE, INSTEAD OF
- D. ATOMIC, BEFORE, INSTEAD OF

Correct Answer: C

---

#### QUESTION 4

Which command can be used to view the configured global registry settings for all installed DB2 copies found on a Linux server?

- A. db2val
- B. db2set
- C. db2look
- D. db2greg

Correct Answer: B

---

#### QUESTION 5

Which of the following statements is TRUE?

- A. REORGCHK automatically runstables reorganization.
- B. REORGCHK uses only current table and index statistics.
- C. REORGCHK can only be used for user tables, not for system tables.
- D. REORGCHK can be used to verify the level of data fragmentation and indicate whether reorganization might be required.

Correct Answer: B

[C2090-600 PDF Dumps](#)

[C2090-600 Study Guide](#)

[C2090-600 Exam Questions](#)