

## C2090-611<sup>Q&As</sup>

DB2 10.1 DBA for Linux UNIX and Windows

**Pass IBM C2090-611 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-611.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which statement about referential constraints is true?

- A. A referential constraint can be defined against a catalog table.
- B. A referential constraint can be defined on both tables and views.
- C. A referential constraint is used to enforce a logical rule about values of one or more columns in one or more tables.
- D. A referential constraint is used to enforce a logical rule about how values in one or more columns in a table should be referenced in a query.

Correct Answer: C

---

**QUESTION 2**

Which system command can be used to locate and return only ADM4500W messages from the DB2 diagnostics log file?

- A. db2pd
- B. db2diag
- C. db2trace
- D. db2fmtdiag

Correct Answer: B

---

**QUESTION 3**

Which registry variable should be used to specify that 20 percent of each index page is to be left as free space when building any index in any database?

- A. DB2\_INDEX\_DEFAULT
- B. DB2\_EXTENDED\_OPTIMIZATION
- C. DB2\_INDEX\_PCTFREE\_DEFAULT
- D. DB2\_ENABLE\_AUTOCONFIG\_DEFAULT

Correct Answer: C

---

**QUESTION 4**

You have an High Availability and Disaster Recovery (HADR) environment set up and you want to read from the standby database. What must you do?

- A. Assign the value ON to the DB2\_HADR\_ROS registry variable.
- B. Assign the value ON to the DB2\_HADR\_SNAP registry variable.
- C. Execute the STOP HADR command to temporarily break the HADR connection to the standby.
- D. Execute the TAKEOVER HADR command to instruct the standby database to takeover as the new primary database.

Correct Answer: A

---

## QUESTION 5

What does the FLUSH PACKAGE CACHE statement do?

- A. It removes all dynamic SQL statements from the package cache.
- B. It removes only inactive SQL statements from the package cache.
- C. It saves dynamic SQL stored in the package cache to an external file.
- D. It causes all SQL statements in the package cache that are currently in use to be recompiled.

Correct Answer: A

[Latest C2090-611 Dumps](#)

[C2090-611 Practice Test](#)

[C2090-611 Study Guide](#)