

## C2090-619<sup>Q&As</sup>

IBM Informix 12.10 System Administrator

**Pass IBM C2090-619 Exam with 100% Guarantee**

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-619.html>

100% Passing Guarantee  
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



**QUESTION 1**

Which two types of locks are used by Informix to access a shared memory buffer? (Choose two.)

- A. Byte
- B. Shared
- C. Update
- D. Exclusive
- E. Promotable

Correct Answer: BD

---

**QUESTION 2**

What is the earliest version you can migrate / upgrade directly to Informix 12.10?

- A. 7.30
- B. 8.0
- C. 9.40
- D. 10.0

Correct Answer: D

---

**QUESTION 3**

You need to create a new role for users on stores database. Which system catalog table can be checked to ensure the uniqueness of the new role name?

- A. stores:sysusers
- B. sysmaster:sysroles
- C. sysuser:sysroleauth
- D. sysmaster:sysusers

Correct Answer: A

---

**QUESTION 4**

Consider the following statements: DBSPACETEMP=tempdbs1, tempdbs2, tempdbs3; CREATE DATABASE mydb WITH LOG IN datadbs1; CREATE TEMP TABLE temp1 (col1 int); Which statement is true?

- A. The temp table will be created in datadbs1.
- B. The temp table will be created in root dbspace.
- C. The temp table will be careated in one of the dbspaces listed in DBSPACTEMP.
- D. The temp table will be created round-robin across the dbspaces in DBSPACETEMP.

Correct Answer: B

---

## QUESTION 5

What does the following SQL administration command do? EXECUTE FUNCTION task("onmode", "wi", "/tmp/cfg\_20130601");

- A. Apply the new values for all configuration parameters in memory.
- B. Reset the values for dynamically updatable configuration parameters to the default values and save them in onconfig.
- C. Apply the new values for all dynamically updatable configuration parameters from the file "/tmp/cfg\_20130601" in memory.
- D. Apply the new values for all dynamically updatable configuration parameters from the file "/tmp/cfg\_20130601" and save them in onconfig.

Correct Answer: C

[C2090-619 PDF Dumps](#)

[C2090-619 Practice Test](#)

[C2090-619 Braindumps](#)