

C2090-645^{Q&As}

IBM Cognos 10 BI Multidimensional Author

Pass IBM C2090-645 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2090-645.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

What does the following expression do:

```
"generate([Productline],topCount(descendants(currentMember([sales_and_marketing].[Products].[Products]),[sales_and_marketing].[Products].[Products].[Product]),2,[Revenue]))"
```

- A. Returns the top two products by revenue for each product line.
- B. Finds the top two members by revenue at the product level and returns their respective ancestors at the product line level.
- C. Calculates the top two product lines for each product.
- D. Goes two levels up from products and returns the top members by revenue at that level.

Correct Answer: A

QUESTION 2

Which of the following are dimensional objects?

- A. Sets and query calculation
- B. Query subject and relationship cardinality
- C. Slicer and string function
- D. Level and member

Correct Answer: B

QUESTION 3

The "Sales" and "Inventory" data stores each have "Products" and "Time" dimensions. For drill-through between the data stores on the "Products" and "Time" dimensions to work, which items in the structures must be identical in the data stores?

- A. Hierarchy names, member values
- B. Level order, level names
- C. Hierarchy names, snowflake schema
- D. Role value, internal keys

Correct Answer: B

QUESTION 4

A crosstab report has product lines in the rows, years in the columns, and revenue as the measure. In Query Explorer, from the source tree, the report author drags the order method Telephone to the Slicer pane.

Why does the report author do this?

- A. To help to set the context.
- B. To create an ordered set.
- C. To return only one tuple.
- D. To aggregate the telephone member.

Correct Answer: A

QUESTION 5

In a crosstab, Campaign is in the rows area, Order method type is in the columns area, and Quantity is the measure. Campaign and Order method type are specified in the query. The report runs, displaying quantity values for all years.

Why does this happen?

- A. The dimension member from that dimension is implied.
- B. The order method member from that dimension is implied.
- C. The aggregate member from that dimension is implied.
- D. The default member from that dimension is implied.

Correct Answer: D

[Latest C2090-645 Dumps](#)

[C2090-645 Exam Questions](#)

[C2090-645 Braindumps](#)