

C2150-606^{Q&As}

IBM Security Guardium V10.0 Administration

Pass IBM C2150-606 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2150-606.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

An administrator just installed the Guardium product using the Guardium ISO image. Which step must the administrator perform as part of the initial set-up of the new appliance?

- A. Generate the GUI certificate request.
- B. Configure network settings on the appliance.
- C. Restart the sniffer process from the CLI command prompt.
- D. Obtain the passwords for the databases to be monitored by the appliance.

Correct Answer: B

QUESTION 2

Which port must be open for encrypted communication between UNIX S-TAP and Collector?

- A. 9500
- B. 16016
- C. 16017
- D. 16018

Correct Answer: D

QUESTION 3

Guardium reports are showing multiple records with client ip as 0.0.0.0. Users are unable to identify which client the connections came from. The Guardium administrator has identified that the databases are using encryption.

Which column can the administrator add that would help users to better identify the client?

- A. Client OS
- B. Client MAC
- C. Access ID
- D. Analyzed Client IP

Correct Answer: B

QUESTION 4

In a centrally managed environment, while executing the report '\\Enterprise Buffer Usage Monitor\\', a Guardium

administrator gets an empty report. Why is the report empty?

- A. Sniffers are not running on the Collectors.
- B. The report is not executed with a remote source on the Collector.
- C. The report is not executed with a remote source on the Aggregator.
- D. Correct custom table upload is not scheduled on the Central Manager.

Correct Answer: C

QUESTION 5

While looking at the S-TAP Status report on a Collector, a Guardium administrator notices that the status of the S-TAPs is changing every few minutes. The administrator suspects that the sniffer is restarting every few minutes and that is why the status change is happening.

How can the Guardium administrator confirm if the sniffer is restarting every few minutes?

- A. Review the Audit Process Log for '\\Sniffer stopped\\' message.
- B. Review the Aggregation/Archive Log for '\\Sniffer is restarting message.
- C. Review the Scheduled Jobs Exceptions for '\\Sniffer process failed\\' message.
- D. Review the Buff Usage Monitor for the column TID to see if it changed every few minutes.

Correct Answer: D

[Latest C2150-606 Dumps](#)

[C2150-606 PDF Dumps](#)

[C2150-606 Braindumps](#)