

C2150-609^{Q&As}

IBM Security Access Manager V9.0 Deployment

Pass IBM C2150-609 Exam with 100% Guarantee

Free Download Real Questions & Answers PDF and VCE file from:

https://www.leads4pass.com/c2150-609.html

100% Passing Guarantee 100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

- Instant Download After Purchase
- 100% Money Back Guarantee
- 365 Days Free Update
- 800,000+ Satisfied Customers





QUESTION 1

An IBM Security Access Manager V9.0 systems deployment professional needs to protect a back-end web applications from SQL injection attacks that match signatures from the IBM X-Force signature database.

Which action needs to be performed?

- A. Simulation Mode must be enabled and a Risk Profile must be specified.
- B. Web Content Protection must be enabled and a Risk Profile must be specified.
- C. Simulation Mode must be enabled and a Registered Resource must be specified.
- D. Web Content Protection must be enabled and a Registered Resource must be specified.

Correct Answer: A

QUESTION 2

An IBM Security Manager V9.0 deployment professional executes the following steps:

1.

Navigate to Edit SSL Certificate Database-embedded_ldap_keys

2.

Select the embedded LDAP server certificate

3.

Click Manage->Export

4.

Save the resulting .cer file onto local desktop

Which task was the deployment professional performing?

- A. Renewing the embedded LDAP server certificate
- B. Replacing the embedded LDAP server certificate
- C. Creating a backup of the embedded LDAP server certificate
- D. Preparing to configure SSL for a local LDAP client to the embedded LDAP server

Correct Answer: D

QUESTION 3



https://www.leads4pass.com/c2150-609.html

2024 Latest leads4pass C2150-609 PDF and VCE dumps Download

A customer wants to replace an IBM Security Access Manager V7.0 Session Management Server with the ISAM 9.0 Distributed Session Cache.

Which DSC configuration must be completed to allow SSL communication?

- A. Create new replica set
- B. Configure DSC to listen on port 443
- C. Select "Support internal clients only" in the Session Cache tab of the LMI.
- D. Select "Enable SSL" and choose a certificate in the Session Cache tab of the LMI.

Correct Answer: A

QUESTION 4

What feature or capability of IBM Security Access Manager V9.0 can be utilized for inserting a static (predefined) HTTP header tag/value pair into the request flowing from WebSEAL to the backend application?

- A. HTTP Transformation rule
- B. HTTP-Tag_value extended attribute
- C. AuthzRule in LMI Policy Administration
- D. [header-names] stanza in WebSEAL conf file

Correct Answer: D

Reference: https://www.ibm.com/support/knowledgecenter/SSPREK_9.0.1/com.ibm.isam.doc/

wrp_stza_ref/reference/ref_srvr_name.html

QUESTION 5

A stateful junction /WebApp is added to a Web reverse proxy instance with two backend HTTP servers. When one of the backend server stops responding to the requests, the users are getting the "Third Party Not Responding" error message even though one of the backend server continues to respond.

Which parameter needs to be added to the configuration file so that "Third Party Not Responding" error page is not rendered and the user is connected to the backend server that is responding?

- A. Use-same-session = yes
- B. Use-new-stateful-on-error=yes
- C. Failover-include-session-id= yes
- D. Enable-failover-cookie-for-domain = yes

Correct Answer: B



https://www.leads4pass.com/c2150-609.html 2024 Latest leads4pass C2150-609 PDF and VCE dumps Download

Reference: https://www.ibm.com/support/knowledgecenter/SSPREK_7.0.0/com.ibm.isam.doc_80/

ameb_webseal_admin_pdf.pdf

C2150-609 PDF Dumps

C2150-609 VCE Dumps

C2150-609 Practice Test