

C2150-609^{Q&As}

IBM Security Access Manager V9.0 Deployment

Pass IBM C2150-609 Exam with 100% Guarantee

Free Download Real Questions & Answers **PDF** and **VCE** file from:

<https://www.leads4pass.com/c2150-609.html>

100% Passing Guarantee
100% Money Back Assurance

Following Questions and Answers are all new published by IBM Official Exam Center

-  **Instant Download** After Purchase
-  **100% Money Back** Guarantee
-  **365 Days** Free Update
-  **800,000+** Satisfied Customers



QUESTION 1

The security deployment professional of an IBM Security Access Manager V9.0 solution has been using routing files to customize message logging.

Which aspect of the logging activity can be controlled?

- A. Size of log file
- B. Delete log files
- C. Log compression
- D. HTML formatting

Correct Answer: A

QUESTION 2

An IBM Security Access Manager (ISAM) V9.0 deployment professional wants to implement some changes to the ISAM object space in the production environment. Before applying the changes, the ISAM object space needs to be exported and saved.

How should the ISAM deployment professional do this export?

- A. Use the REST API
- B. Use the LMI export panel
- C. Use the pdadmin command
- D. Use the Policy Administration (WPM)

Correct Answer: D

QUESTION 3

Users are experiencing authentication failures. They are opening a large number of Help Desk tickets.

Which message severity level should a deployment professional be looking for in the message log?

- A. Error message
- B. Fatal message
- C. Notice message
- D. Warning message

Correct Answer: D

QUESTION 4

A deployment professional needs to achieve sign-on between Virtual Host Junctions <https://abc.ibm.com> and <https://xyz.ibm.com> which are on separate WebSEAL instances.

Which option requires the least amount of configuration and no changes to the application?

- A. Use the Distributed Session Cache
- B. Use Cross-Domain Single Sign-On (CDSSO)
- C. Use the option "use-same-session = yes"
- D. Use the option "shared-domain-cookie = xyz.ibm.com"

Correct Answer: D

QUESTION 5

Which hardware component is included in an IBM Security Access Manager V9.0 hardware appliance?

- A. UPS
- B. IPMI port
- C. LCD Panel
- D. InfiniBand port

Correct Answer: C

Reference: https://www.ibm.com/support/knowledgecenter/en/SSPREK_9.0.3/com.ibm.isam.doc/isam90_quickstart_hardware.html

[Latest C2150-609 Dumps](#)

[C2150-609 Study Guide](#)

[C2150-609 Braindumps](#)